CHAIRS

Chairs Arper Grade	Supplier	Collection	Upholstery Code	Program
A	FiDiVi.	Jet	JE	Carded In
B	Kvadrat	Field	FI	Carded In
B	Kvadrat	Floyd	F1	Carded In
B	Kvadrat	Revive 1	R1	Carded In
B	Maharam	Manner	M1	Carded In
B	Maharam	Medium	MD	Carded In
B	Maharam	Messenger	MS	Carded In
B	Maharam	Metric	MC	Carded In
B	Spradling	Faux leather Valencia	VL	Carded In
C	Kvadrat	Umami	UM	Carded In
C	Kvadrat	Cava 3	CA	Carded In
C	Kvadrat	Pause 4	PS	Carded In
C	Kvadrat	Remix 2	RX	Carded In
C	Maharam	Mode	M3	Carded In
D	FiDiVi.	Style	S5	Carded In
D	Kvadrat	Canvas	CV	Carded In
D	Kvadrat	Clara 2	CL	Carded In
D	Ultrafabrics	Primera	PR	Carded In
E	Kvadrat	Fiord	FD	Carded In
E	Kvadrat	Pro 3	P2	Carded In
E	Kvadrat	Rime	RI	Carded In
E	Kvadrat	Scuba	SQ	Carded In
E	Kvadrat	Tempo	TM	Carded In
ES	Elmo Leather AB	Soft leather Elmosoft	ES	Carded In

Chairs Arper Grade	Supplier	Collection	Upholstery Code	Program
F	Kvadrat	Tonus 4	T3	Carded In
F	Ultrafabrics	Brisa	BR	Carded In
F	Ultrafabrics	Promessa	PO	Carded In
F	Ultrafabrics	Ultraleather	UL	Carded In
G	Kvadrat	Divina 3	DV	Carded In
G	Kvadrat	Divina MD	DI	Carded In
G	Kvadrat	Divina Melange 2	DM	Carded In
G	Kvadrat	Hallingdal 65	HA	Carded In
G	Kvadrat	Steelcut 2	SE	Carded In
G	Kvadrat	Steelcut Trio 2	ST	Carded In
G	Ultrafabrics	Brisa Distressed	BD	Carded In
I	Arper	Soft leather	PF	Carded In
COL		COL	COL	
COM		COM	COM	

AAVA

Design by
Antti Kotilainen

Aava



Design by Antti Kotilainen, 2015

Chair with steel 4 leg base and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.

Accessoires:
Set of glides Art. 3948
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3943	PG	
CHROMED / POWDERCOATED	278	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3943 1 pz = 2 — - lb 14,52/ ft³ 7,766 4 pz = 2 — - lb 44,88/ ft³ 9,531	**Art.3943** Frame base finishes: indoor use only (contact us for outdoor finishes)	• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2015

Chair with steel 4 leg base and shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3951	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	699	743	787	831	875	919	963	1007	1051	1095	1139	1183	1227	1263

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3951 1 pz = 2 - lb 18,39/ ft³ 9,884 4 pz = 2 - lb 55,22/ ft³ 10,731	**Art.3951** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2013

Chair with steel 4 leg base and curved plywood shell, natural or stained birchwood effect in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.
– With stacking protection pad: up to 12 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 20 pcs.

Accessoires:
Link Art. 3941
Set of glides Art. 3948
Single trolley - Available upon request, please contact us

$ ART. 3906	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	521	544												
$ ART. 3920	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959

SHIPMENT DETAILS

Art.3906
1 pz = 2 — - lb 21,87/ ft³ 10,590
4 pz = 2 — - lb 55,13/ ft³ 13,061
Art.3920
1 pz = 1 — - lb 6,60/ ft³ 1,412
4 pz = 1 — - lb 17,60/ ft³ 1,412

KD

TECHNICAL SPECIFICATIONS

Art.3906
Frame base finishes: indoor use only

Art.3920
COL requirement s.f. 17
COM requirement: 1.08 yards. Width 54",no repeat.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.25

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

Shell



Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2014

Chair with steel 4 leg base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3962	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	684	708	732	756	780	804	828	852	876	900	924	948	972	1066

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3962 1 pz = 2 — lb 18,39/ ft³ 9,884 4 pz = 2 — lb 63,14/ ft³ 10,731	**Art.3962** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2014

Chair with steel 4-leg base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Wood shell with front upholstery in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Set of glides Art. 3948
Single trolley - Available upon request, please contact us

$ ART. 3934	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch	927	951	975	999	1023	1047	1071	1095	1119	1143	1167	1191	1215	1309
WOOD Stained birch effect	949	973	997	1021	1045	1069	1093	1117	1141	1165	1189	1213	1237	1331

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3934 1 pz = 2 — lb 21,87/ ft³ 10,590 4 pz = 2 — lb 55,13/ ft³ 13,061	**Art.3934** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54",no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Chair with steel 4 leg base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3974	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	597	608	619	630	641	652	663	674	685	696	707	718	729	814

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3974 1 pz = 2 - lb 16,61/ ft³ 9,849 4 pz = 2 - lb 56,98/ ft³ 10,731	**Art.3974** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Aava

Design by Antti Kotilainen, 2016

Chair with steel 4-leg base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Set of glides Art. 3948

$ ART. 3973	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural Birch	849	860	871	882	893	904	915	926	937	948	959	970	981	1023
WOOD Stained birch	871	882	893	904	915	926	937	948	959	970	981	992	1003	1044

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3973 1 pz = 2 - lb 20,64/ ft³ 10,767 4 pz = 2 - lb 52,10/ ft³ 13,132	**Art.3973** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2015

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 14 pcs.

Accessoires:
Set of glides Art. 3948
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3944	PG	
CHROMED / POWDERCOATED	506	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3944 1 pz = 2 — - lb 21,41/ ft³ 13,767 4 pz = 2 — - lb 58,06/ ft³ 16,591	**Art.3944** Frame base finishes: indoor use only (contact us for outdoor finishes)	• EN 1728:2012 - EN 16139:2013 6.10 • EN 1728:2012 - EN 16139:2013 6.20 • EN 1728:2012 - EN 16139:2013 6.11 • EN 1728:2012 - EN 16139:2013 6.26
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2015

Chair with steel 4 leg base with armrest and shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3952	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	927	971	1015	1059	1103	1147	1191	1235	1279	1323	1367	1411	1455	1491
Armrest CI	+ 109													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3952 1 pz = 2 — lb 25,28/ ft³ 17,297 4 pz = 2 — lb 68,38/ ft³ 18,285	**Art.3952** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2013

Chair with steel 4 leg base, armrests and curved plywood shell, birchwood effect natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 14 pcs.

Accessoires:
Link Art. 3941
Set of glides Art. 3948
Single trolley - Available upon request, please contact us

$ ART. 3907	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	749	772												
$ ART. 3920	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3907 1 pz = 2 - lb 26,05/ ft³ 15,179 4 pz = 2 - lb 66,57/ ft³ 17,297 **Art.3920** 1 pz = 1 - lb 6,60/ ft³ 1,412 4 pz = 1 - lb 17,60/ ft³ 1,412	**Art.3907** Frame base finishes: indoor use only **Art.3920** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

Shell



Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2015

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3963	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	912	936	960	984	1008	1032	1056	1080	1104	1128	1152	1176	1200	1294

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3963 1 pz = 2 - lb 25,28/ ft³ 17,297 4 pz = 2 - lb 76,30/ ft³ 18,285	**Art.3963** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2014

Chair with steel 4-leg base, armrests and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Set of glides Art. 3948
Single trolley - Available upon request, please contact us

$ ART. 3935	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch effect	1155	1179	1203	1227	1251	1275	1299	1323	1347	1371	1395	1419	1443	1537
WOOD Stained birch effect	1177	1201	1225	1249	1273	1297	1321	1345	1369	1393	1417	1441	1465	1559

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3935 1 pz = 2 — lb 26,05/ ft³ 15,179 4 pz = 2 — lb 66,57/ ft³ 17,297 KD	**Art.3935** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54",no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Chair with steel 4 leg base with armrests and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Set of glides Art. 3948
Stacking protection Pad Art. 3950
Link Art. 3970

$ ART. 3977	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	825	836	847	858	869	880	891	902	913	924	935	946	957	1042

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3977 1 pz = 2 - lb 23,50/ ft³ 15,285 4 pz = 2 - lb 70,14/ ft³ 18,285	**Art.3977** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Aava



Design by Antti Kotilainen, 2016

Chair with steel 4 leg base, armrests and curved plywood shell veneered birchwood effect, natural or stained in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Set of glides Art. 3948

$ ART. 3976	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural Birch	1077	1088	1099	1110	1121	1132	1143	1154	1165	1176	1187	1198	1209	1251
WOOD Stained birch	1099	1110	1121	1132	1143	1154	1165	1176	1187	1198	1209	1220	1231	1272

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3976 1 pz = 2 - lb 24,82/ ft³ 15,285 4 pz = 2 - lb 63,54/ ft³ 17,403	**Art.3976** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2015



Chair with 4 leg base made of curved rotary-cut plywood, veneered with birch wood effect, or stained in four colors. Polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

$ ART. 3947	PG	
WOOD LEGS	532	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3947 1 pz = 2 - lb 16,17/ ft³ 3,883 4 pz = 2 - lb 52,80/ ft³ 6,001		• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2015



Chair with 4 leg base made of curved rotary-cut plywood available in 3 different colors,. Shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

$ ART. 3955	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	953	997	1041	1085	1129	1173	1217	1261	1305	1349	1393	1437	1481	1517

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3955 1 pz = 2 - lb 20,04/ ft³ 6,001 4 pz = 2 - lb 63,14/ ft³ 8,684	**Art.3955** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2013



Curved veneered plywood chair with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell and base can be ordered with the same finish or different finishes can be combined together. It is provided with glides with felt insert for wood floors. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

$ ART. 3910	WOOD Nat. birch	WOOD Stained birch												
WOOD LEGS	759	782												
$ ART. 3920	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959

SHIPMENT DETAILS

Art.3910

1 pz = 2 - lb 21,82/ ft³ 10,590

4 pz = 2 - lb 54,96/ ft³ 13,061

Art.3920

1 pz = 1 - lb 6,60/ ft³ 1,412

4 pz = 1 - lb 17,60/ ft³ 1,412

TECHNICAL SPECIFICATIONS

Art.3920

COL requirement s.f. 17

COM requirement: 1.08 yards. Width 54",no repeat.

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 4
- EN 1728:2012 - EN 16139:2013 6. 5
- EN 1022:05

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base



L0009 L0010 L0011 L0012 L0013

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2015



Chair with 4 leg base made of curved rotary-cut plywood and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

$ ART. 3966	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	938	962	986	1010	1034	1058	1082	1106	1130	1154	1178	1202	1226	1320

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3966 1 pz = 2 - lb 20,04/ ft³ 6,001 4 pz = 2 - lb 71,06/ ft³ 8,684	**Art.3966** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2014

Chair with 4-leg base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Shell and base can be ordered in the same finish or different finishes can be combined together. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request.

$ ART. 3938	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch	1165	1189	1213	1237	1261	1285	1309	1333	1357	1381	1405	1429	1453	1547
WOOD Stained birch effect	1187	1211	1235	1259	1283	1307	1331	1355	1379	1403	1427	1451	1475	1569

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3938 1 pz = 2 [redacted] - lb 21,82/ ft³ 10,590 4 pz = 2 [redacted] - lb 54,96/ ft³ 13,061	**Art.3938** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

L0009 L0010 L0011 L0012 L0013

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Chair with 4 leg base made of curved rotary-cut plywood, and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

$ ART. 3979	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	851	862	873	884	895	906	917	928	939	950	961	972	983	1068

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3979 1 pz = 2 - lb 18,26/ ft³ 5,966 4 pz = 2 - lb 64,90/ ft³ 8,684	**Art.3979** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Chair with 4-leg base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Shell and base can be ordered in the same finish or different finishes can be combined together. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request.

$ ART. 3978	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
NATURAL BIRCH	1087	1098	1109	1120	1131	1142	1153	1164	1175	1186	1197	1208	1219	1261
STAINED BIRCH	1109	1120	1131	1142	1153	1164	1175	1186	1197	1208	1219	1230	1241	1282

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3978 1 pz = 2 [redacted] - lb 20,59/ ft³ 10,767 4 pz = 2 [redacted] - lb 51,92/ ft³ 13,132	**Art.3978** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54", no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2015

Chair with steel sled base and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.

Accessoires:
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3945	PG	
CHROMED / POWDERCOATED	321	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3945 1 pz = 2 — lb 17,49/ ft³ 7,766 4 pz = 2 — lb 56,76/ ft³ 9,531	**Art.3945** Frame base finishes: indoor use only (contact us for outdoor finishes)	• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • ANSI/BIFMA X5.1-2011/11 • ANSI/BIFMA X5.1-2011/16 • ANSI/BIFMA X5.1-2011/6 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • ANSI/BIFMA X5.1-2011/12 • ANSI/BIFMA X5.1-2011/18 • ANSI/BIFMA X5.1-2011/8
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Chair with sleed base and shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3953	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	742	786	830	874	918	962	1006	1050	1094	1138	1182	1226	1270	1306

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3953 1 pz = 2 - lb 21,36/ ft³ 9,884 4 pz = 2 - lb 67,10/ ft³ 10,731	**Art.3953** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Chair with steel sled base and curved plywood shell birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.

Accessoires:
Link Art. 3941
Single trolley - Available upon request, please contact us

$ ART. 3908	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	564	587												
$ ART. 3920	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3908 1 pz = 2 - lb 25,21/ ft³ 10,590 4 pz = 2 - lb 68,51/ ft³ 13,061 **Art.3920** 1 pz = 1 - lb 6,60/ ft³ 1,412 4 pz = 1 - lb 17,60/ ft³ 1,412	**Art.3908** Frame base finishes: indoor use only **Art.3920** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Chair with steel sled base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3964	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	727	751	775	799	823	847	871	895	919	943	967	991	1015	1109

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3964 1 pz = 2 - lb 21,36/ ft³ 9,884 4 pz = 2 - lb 75,02/ ft³ 10,731	**Art.3964** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2014

Chair with steel sled base and curved plywood shell, veneered natural beechwood or natural birchwood effect or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Single trolley - Available upon request, please contact us

$ ART. 3936	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch effect	970	994	1018	1042	1066	1090	1114	1138	1162	1186	1210	1234	1258	1352
WOOD Stained birch effect	992	1016	1040	1064	1088	1112	1136	1160	1184	1208	1232	1256	1280	1374

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3936 1 pz = 2 — lb 25,21/ ft³ 10,590 4 pz = 2 — lb 68,51/ ft³ 13,061	**Art.3936** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54",no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Chair with steel sled base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970

$ ART. 3982	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	640	651	662	673	684	695	706	717	728	739	750	761	772	857

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3982 1 pz = 2 - lb 19,58/ ft³ 9,849 4 pz = 2 - lb 68,86/ ft³ 10,731	**Art.3982** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Chair with steel sled base and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942

$ ART. 3981	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural Birch	892	903	914	925	936	947	958	969	980	991	1002	1013	1024	1066
WOOD Stained birch	914	925	936	947	958	969	980	991	1002	1013	1024	1035	1046	1087

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3981 1 pz = 2 - lb 23,98/ ft³ 10,767 4 pz = 2 - lb 65,47/ ft³ 13,132	**Art.3981** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54",no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2015



Chair with steel sled base with armrests and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3946	PG	
CHROMED / POWDERCOATED	549	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3946 1 pz = 2 — lb 23,39/ ft³ 13,767 4 pz = 2 — lb 66,00/ ft³ 16,591	**Art.3946** Frame base finishes: indoor use only (contact us for outdoor finishes)	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Chair with sleed base and armrests, with shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3954	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	970	1014	1058	1102	1146	1190	1234	1278	1322	1366	1410	1454	1498	1534
Armrests CI	+ 109													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3954 1 pz = 2 — lb 27,26/ ft³ 17,297 4 pz = 2 — lb 76,30/ ft³ 18,285	**Art.3954** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Armrest

Armrests CI

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2013



Chair with steel sled base, armrests and curved plywood shell birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 3941
Single trolley - Available upon request, please contact us

$ ART. 3909	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	792	815												
$ ART. 3920	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3909 1 pz = 2 — lb 28,03/ ft³ 15,179 4 pz = 2 — lb 74,49/ ft³ 17,297 **Art.3920** 1 pz = 1 — lb 6,60/ ft³ 1,412 4 pz = 1 — lb 17,60/ ft³ 1,412 KD	**Art.3909** Frame base finishes: indoor use only **Art.3920** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Chair with steel sled base with armrests and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3965	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	955	979	1003	1027	1051	1075	1099	1123	1147	1171	1195	1219	1243	1337

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3965 1 pz = 2 - lb 27,26/ ft³ 17,297 4 pz = 2 - lb 84,22/ ft³ 18,285	**Art.3965** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2014



Chair with steel sled base, armrests and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Single trolley - Available upon request, please contact us

$ ART. 3937	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch effect	1198	1222	1246	1270	1294	1318	1342	1366	1390	1414	1438	1462	1486	1580
WOOD Stained birch effect	1220	1244	1268	1292	1316	1340	1364	1388	1412	1436	1460	1484	1508	1602

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3937 1 pz = 2 [illegible] - lb 28,03/ ft³ 15,179 4 pz = 2 [illegible] - lb 74,49/ ft³ 17,297	**Art.3937** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Chair with steel sled base with armrests and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3985	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	868	879	890	901	912	923	934	945	956	967	978	989	1000	1085

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3985 1 pz = 2 — lb 25,48/ ft³ 15,285 4 pz = 2 — lb 78,06/ ft³ 18,285	**Art.3985** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Chair with steel sled base, armrests and curved plywood shell, veneered natural beechwood or natural birchwood effect o lacquered birchwood effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942

$ ART. 3984	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural Birch	1120	1131	1142	1153	1164	1175	1186	1197	1208	1219	1230	1241	1252	1294
WOOD Stained birch	1142	1153	1164	1175	1186	1197	1208	1219	1230	1241	1252	1263	1274	1315

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3984 1 pz = 2 - lb 26,80/ ft³ 15,285 4 pz = 2 - lb 71,46/ ft³ 17,403	**Art.3984** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2015



Chair with steel sled base with writing tablet (right or left side) and polypropylene shell available in 6 colors. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– Up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 6 pcs.

Accessoires:
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3971	PG	
CHROMED	623	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3971 1 pz = 2 — lb 27,39/ ft³ 10,590 4 pz = 3 — lb 91,78/ ft³ 19,768		
FIRE RETARDANT TEST		

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Chair with sleed base with writing tablet (right or left side) and shell upholstered in leather, faux leather, fabric or customer's material. Available glides with felt insert for wood floors.

Stackability:
– Up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3956	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1044	1088	1132	1176	1220	1264	1308	1352	1396	1440	1484	1528	1572	1608

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3956 1 pz = 3 - lb 31,26/ ft³ 12,708 4 pz = 3 - lb 102,12/ ft³ 22,239	**Art.3956** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2013



Chair with steel sled base with writing tablet (right or left side) and curved plywood shell, veneered natural birchwood effect or lacquered birchwood effect in 4 different colors. Glides with felt insert for wood floors are provided upon request without surcharge. A non-washable, removable cover (Item 3920) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Single trolley - Available upon request, please contact us

$ ART. 3920	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
COVER ONLY	395	439	483	527	571	615	659	703	747	791	835	879	923	959
$ ART. 3923	**WOOD Nat. birch**	**WOOD Stained birch**												
CHROMED	866	889												

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3920 1 pz = 1 — lb 6,60/ ft³ 1,412 4 pz = 1 — lb 17,60/ ft³ 1,412 **Art.3923** 1 pz = 3 — lb 28,29/ ft³ 10,590 4 pz = 3 — lb 80,61/ ft³ 14,120	**Art.3920** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Chair with steel sled base with writing tablet (right or left side) and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– Up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970
Single trolley - Available upon request, please contact us

$ ART. 3967	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1029	1053	1077	1101	1125	1149	1173	1197	1221	1245	1269	1293	1317	1411

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3967 1 pz = 3 - lb 31,26/ ft³ 12,708 4 pz = 3 - lb 110,04/ ft³ 22,239	**Art.3967** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2014

Chair with steel sled base with writing tablet (right or left side) and curved plywood shell, veneered natural birchwood effect, or lacquered birchwood effect in 4 different colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Single trolley - Available upon request, please contact us

$ ART. 3926	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural birch effect	1272	1296	1320	1344	1368	1392	1416	1440	1464	1488	1512	1536	1560	1654
WOOD Stained birch effect	1294	1318	1342	1366	1390	1414	1438	1462	1486	1510	1534	1558	1582	1676

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3926 1 pz = 3 - lb 28,29/ ft³ 10,590 4 pz = 3 - lb 80,61/ ft³ 14,120 KD	**Art.3926** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Chair with steel sled base with writing tablet (right or left side) and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Link Art. 3970

$ ART. 3988	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	942	953	964	975	986	997	1008	1019	1030	1041	1052	1063	1074	1159

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3988 1 pz = 3 - lb 29,48/ ft³ 12,779 4 pz = 3 - lb 103,88/ ft³ 22,274	**Art.3988** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2016



Chair with steel sled base with writing tablet (right or left side) and curved plywood shell, veneered natural birchwood effect or lacquered birchwod effect in 4 different colors. Wood shell with seat cushion in leather, faux leather, fabric or customer's material upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Link Art. 3941
Stacking protection Pad Art. 3942
Single trolley - Available upon request, please contact us

$ ART. 3987	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD Natural Birch	1194	1205	1216	1227	1238	1249	1260	1271	1282	1293	1304	1315	1326	1368
WOOD Stained birch	1216	1227	1238	1249	1260	1271	1282	1293	1304	1315	1326	1337	1348	1389

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3987 1 pz = 3 - lb 30,80/ ft³ 12,779 4 pz = 3 - lb 97,28/ ft³ 21,392	**Art.3987** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2015



Stool with steel sled base and polypropylene shell available in 6 colors. Available glides with felt insert for wood floors.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

$ ART. 3960	PG	
CHROMED / POWDERCOATED	440	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3960 1 pz = 2 - lb 24,27/ ft³ 13,414 4 pz = 2 - lb 72,60/ ft³ 13,626		
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Stool with steel sled base and shell upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 26".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3950

$ ART. 3957	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	861	905	949	993	1037	1081	1125	1169	1213	1257	1301	1345	1389	1425

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3957 1 pz = 2 — lb 28,14/ ft³ 15,179 4 pz = 2 — lb 82,94/ ft³ 16,167	**Art.3957** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Stool with steel sled base and shell upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 65 cm.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3942

$ ART. 3918	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	796	840	884	928	972	1016	1060	1104	1148	1192	1236	1280	1324	1361

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3918 1 pz = 2 - lb 24,99/ ft³ 13,414 4 pz = 2 - lb 70,93/ ft³ 13,414	**Art.3918** COL requirement s.f. 29.32 COM requirement: 1.58 yards. Width 54",no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Stool with steel sled base and curved plywood shell birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are available upon request. A non-washable, removable cover (Item 3921) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered. Seat height 25 5/8".

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

$ ART. 3911	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	661	683												
$ ART. 3921	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	384	428	472	516	560	604	648	692	736	780	824	868	912	949

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3911 1 pz = 2 — lb 24,99/ ft³ 13,414 4 pz = 2 — lb 70,93/ ft³ 13,414 **Art.3921** 1 pz = 1 — lb 6,60/ ft³ 1,412 4 pz = 1 — lb 17,60/ ft³ 1,412	**Art.3911** Frame base finishes: indoor use only **Art.3921** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Stool with steel sled base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge. Seat height 26".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3950

$ ART. 3968	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	846	870	894	918	942	966	990	1014	1038	1062	1086	1110	1134	1228

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3968 1 pz = 2 - lb 28,14/ ft³ 15,179 4 pz = 2 - lb 90,86/ ft³ 16,167	**Art.3968** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Stool with steel sled base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge.

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950

$ ART. 3991	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	759	770	781	792	803	814	825	836	847	858	869	880	891	976

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3991 1 pz = 2 - lb 27,06/ ft³ 15,285 4 pz = 2 - lb 85,14/ ft³ 16,167	**Art.3991** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. It is provided with glides with felt insert for wood floors. Seat height 25 5/8".

$ ART. 3993	PG	
WOOD LEGS	935	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3993 1 pz = 2 - lb 23,21/ ft³ 12,390		
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 26".

$ ART. 3996	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1356	1400	1444	1488	1532	1576	1620	1664	1708	1752	1796	1840	1884	1920

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3996 1 pz = 2 - lb 24,42/ ft³ 14,049	**Art.3996** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Low shell fully upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 25 5/8".

$ ART. 5902	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1291	1335	1379	1423	1467	1511	1555	1599	1643	1687	1731	1775	1819	1856

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.5902 1 pz = 2 - lb 24,38/ ft³ 12,390	**Art.5902** COL requirement s.f. 29.32 COM requirement: 1.58 yards. Width 54”,no repeat	
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell and base can be ordered with the same finish or different finishes can be combined together. It is provided with glides with felt insert for wood floors. Seat height 25 5/8".

$ ART. 5901	WOOD Natural beech	WOOD Stained birch	
WOOD LEGS	1156	1178	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.5901 1 pz = 2 - lb 23,94/ ft³ 12,426		
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. It is provided with glides with felt insert for wood floors. Seat height 26".

$ ART. 3994	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1341	1365	1389	1413	1437	1461	1485	1509	1533	1557	1581	1605	1629	1723

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3994 1 pz = 2 - lb 27,85/ ft³ 14,049	**Art.3994** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava



Design by Antti Kotilainen, 2016

Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. It is provided with glides with felt insert for wood floors. Seat height 26".

$ ART. 3995	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1254	1265	1276	1287	1298	1309	1320	1331	1342	1353	1364	1375	1386	1471

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3995 1 pz = 2 - lb 25,30/ ft³ 14,049	**Art.3995** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2015



Stool with steel sled base and polypropylene shell. Available glides with felt insert for wood floors.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Single trolley - Available upon request, please contact us

$ ART. 3961	PG	
CHROMED / POWDERCOATED	440	
Hole on shell to allow water drainage	+ 21	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3961 1 pz = 2 - lb 25,23/ ft³ 15,179 4 pz = 2 - lb 77,00/ ft³ 15,709		• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2013



Stool with steel sled base and shell fully upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request Seat height 297/8".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3950
Single trolley - Available upon request, please contact us

$ ART. 3958	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	861	905	949	993	1037	1081	1125	1169	1213	1257	1301	1345	1389	1425

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3958 1 pz = 2 — lb 29,11/ ft³ 17,297 4 pz = 2 — lb 87,34/ ft³ 18,250	**Art.3958** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Stool with steel sled base and low shell upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 29 1/2".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3942
Single trolley - Available upon request, please contact us

$ ART. 3919	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	796	840	884	928	972	1016	1060	1104	1148	1192	1236	1280	1324	1361

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3919 1 pz = 2 — lb 25,96/ ft³ 15,532 4 pz = 2 — lb 74,80/ ft³ 15,532	**Art.3919** COL requirement s.f. 29.32 COM requirement: 1.5 yards. Width 54",no repeat. Frame base finishes: indoor use only	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1728:2012 - EN 16139:2013 6. 9 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2013

Stool with steel sled base and curved plywood shell veneered birchwood effect, natural or stained in 4 different colors. Glides with felt insert for wood floors are provided upon request. A non-washable, removable cover (Item 3921) is also available in leather, faux leather, fabric or customer's material allowing the chair to be used in two versions: wood or upholstered. Seat height 29 1/2".

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Single trolley - Available upon request, please contact us

$ ART. 3912	WOOD Nat. birch	WOOD Stained birch												
CHROMED / POWDERCOATED	661	683												
$ ART. 3921	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
COVER ONLY	384	428	472	516	560	604	648	692	736	780	824	868	912	949

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3912 1 pz = 2 — lb 25,96/ ft³ 15,532 4 pz = 2 — lb 74,80/ ft³ 15,532 **Art.3921** 1 pz = 1 — lb 6,60/ ft³ 1,412 4 pz = 1 — lb 17,60/ ft³ 1,412	**Art.3912** Frame base finishes: indoor use only **Art.3921** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54",no repeat.	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1728:2012 - EN 16139:2013 6. 9 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8

FIRE RETARDANT TEST

Classe 1 LG • Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Shell



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2015

Stool with steel sled base and polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge. Seat height 29 7/8".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Stacking protection Pad Art. 3950
Single trolley - Available upon request, please contact us

$ ART. 3969	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	846	870	894	918	942	966	990	1014	1038	1062	1086	1110	1134	1228

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3969 1 pz = 2 - lb 29,11/ ft³ 17,297 4 pz = 2 - lb 95,26/ ft³ 18,250	**Art.3969** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava



Design by Antti Kotilainen, 2016

Stool with steel sled base and polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. Glides with felt insert for wood floors are provided upon request without surcharge. Seat height 29 1/2".

Stackability:
– With stacking protection pad: up to 6 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 6 pcs.

Accessoires:
Stacking protection Pad Art. 3950
Single trolley - Available upon request, please contact us

$ ART. 3992	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	759	770	781	792	803	814	825	836	847	858	869	880	891	976

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3992 1 pz = 2 - lb 28,16/ ft³ 17,368 4 pz = 2 - lb 89,10/ ft³ 18,250	**Art.3992** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat. Frame base finishes: indoor use only	
FIRE RETARDANT TEST		

Frame Base

CRO V24 matt V25 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. It is provided with glides with felt insert for wood floors. Seat height 29 1/2".

$ ART. 3997	PG	
WOOD LEGS	935	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3997 1 pz = 2 - lb 23,65/ ft³ 12,390		• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell fully upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 29 7/8".

$ ART. 5900	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1356	1400	1444	1488	1532	1576	1620	1664	1708	1752	1796	1840	1884	1920

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.5900 1 pz = 2 - lb 24,86/ ft³ 14,049	**Art.5900** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell fully upholstered in leather, faux leather, fabric or customer's material. Glides with felt insert for wood floors are provided upon request. Seat height 30".

$ ART. 5904	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1291	1335	1379	1423	1467	1511	1555	1599	1643	1687	1731	1775	1819	1856

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.5904 1 pz = 2 - lb 24,82/ ft³ 12,390	**Art.5904** COL requirement s.f. 29.32 COM requirement: 1.58 yards. Width 54”,no repeat	
FIRE RETARDANT TEST		

Frame Base



Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2013



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Shell and base can be ordered with the same finish or different finishes can be combined together. It is provided with glides with felt insert for wood floors. Seat height 30".

$ ART. 3921	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
COVER ONLY	384	428	472	516	560	604	648	692	736	780	824	868	912	949
$ ART. 5903	**WOOD Natural beech**	**WOOD Stained birch**												
WOOD LEGS	1156	1178												

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3921 1 pz = 1 - lb 6,60/ ft³ 1,412 4 pz = 1 - lb 17,60/ ft³ 1,412 **Art.5903** 1 pz = 2 - lb 24,38/ ft³ 12,426	**Art.3921** COL requirement s.f. 17 COM requirement: 1.08 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

Classe 1IM Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

L0009 L0010 L0011 L0012 L0013

Shell

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. The shell is fitted with leather, faux leather, fabric or customer's material front upholstery. It is provided with glides with felt insert for wood floors. Seat height 29 7/8".

$ ART. 3998	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1341	1365	1389	1413	1437	1461	1485	1509	1533	1557	1581	1605	1629	1723

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3998 1 pz = 2 - lb 28,29/ ft³ 14,049	**Art.3998** COL requirement s.f. 8 COM requirement: 0.72 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base



L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen, 2016



Curved veneered plywood stool with 4 leg base. It is available with natural or stained birchwood effect in 4 different colors. Polypropylene shell available in 6 colors. Polypropylene shell with seat cushion in leather, faux leather, fabric or customer's material front upholstery. It is provided with glides with felt insert for wood floors. Seat height 29 7/8".

$ ART. 3999	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1254	1265	1276	1287	1298	1309	1320	1331	1342	1353	1364	1375	1386	1471

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.3999 1 pz = 2 - lb 25,74/ ft³ 14,049	**Art.3999** COL requirement s.f. 29.32 COM requirement: 0.6 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST		

Frame Base

L0009 L0010 L0011 L0012 L0013

Wood: Natural birch effect (L0009), Stained birch effect (L0010, L0011, L0012, L0013)

Aava

Design by Antti Kotilainen

$ ART. 3941	$ ART. 3942	$ ART. 3948	$ ART. 3950	$ ART. 3970
Link (only for wood shell and with Art. 3942)	Stacking protection Pad (only for wood shell)	Set of glides (white or black)	Stacking protection Pad (for polypropylene shell)	Link (for polypropylene shell)
76	59	30	59	76

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art. 3941 20 pz = 1 — lb 18,48/ ft³ 1,412 **Art. 3942** 1 pz = 1 — lb 2,24/ ft³ 1,412 4 pz = 1 — lb 5,85/ ft³ 1,412 **Art. 3950** 1 pz = 1 — lb 1,98/ ft³ 14,049 4 pz = 1 — lb 1,98/ ft³ 1,130 **Art. 3970** 1 pz = 1 — lb 1,36/ ft³ 1,130 8 pz = 1 — lb 8,82/ ft³ 0,141 20 pz = 1 — lb 21,78/ ft³ 0,494		
FIRE RETARDANT TEST		

ASTON

Design by
Jean-Marie Massaud

Aston Conference

Design by Jean-Marie Massaud, 2008



Armchair with chromed steel cantilever frame. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1931	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	2440	2538	2636	2734	2832	2930	3028	3126	3224	3322	3420	3518	3616	4326
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1931 1 pz = 1 - lb 29,70/ ft³ 17,650	**Art.1931** COL requirement s.f. 37 COM requirement: 1.89 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

CRO

Aston Lounge

Design by Jean-Marie Massaud, 2006



Lounge armchair with aluminium pedestal base. Aston Lounge is available in two versions: with swivel base (Art. 1920), or fitted with seat return mechanism (Art. 1921). The seat support element is available with polished or powercoated. The spring of the tilt mechanism is available in chromed or red. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1920	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	2559	2694	2829	2964	3099	3234	3369	3504	3639	3774	3909	4044	4179	4860
$ ART. 1921	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
RETURN MECHANISM	2820	2955	3090	3225	3360	3495	3630	3765	3900	4035	4170	4305	4440	5134
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1920 1 pz = 1 - lb 62,04/ ft³ 33,888 **Art.1921** 1 pz = 1 - lb 60,50/ ft³ 33,888	**Art.1920** COL requirement s.f. 50 COM requirement: 2.53 yards. Width 54",no repeat. **Art.1921** COL requirement s.f. 50 COM requirement: 2.53 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.3 • EN 1728:2000 - EN 15373:2007 6.9 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

All other types of floor

Wooden floor

Carpets

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

Aston

Design by Jean-Marie Massaud, 2006

Footstool with aluminium pedestal base. The cushion support element is available polished or powdercoated. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.



$ ART. 1902	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED	1240	1297	1354	1411	1468	1525	1582	1639	1696	1753	1810	1867	1924	2093
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1902 1 pz = 1 - lb 23,10/ ft³ 5,648	**Art.1902** COL requirement s.f. 19 COM requirement: 1.39 yards. Width 54",no repeat.	• EN 1730:2000 - EN 15372:2008 6.2 • EN 1730:2000 - EN 15372:2008 6.4 • EN 1730:2000 - EN 15372:2008 6.7 • EN 1730:2000 - EN 15372:2008 6.3 • EN 1730:2000 - EN 15372:2008 6.5

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

All other types of floor

Wooden floor

Carpets

Aston

Design by Jean-Marie Massaud, 2006



Low table with aluminium pedestal base. The top support is available with polished or painted finish. The square top is in lacquered MDF white or black.

$ ART. 1903	LU1	
MDF MD 23 5/8"x23 5/8"	1209	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1903 1 pz = 2 - lb 25,96/ ft³ 4,589 KD		
FIRE RETARDANT TEST		

Frame Base

LU1

All other types of floor

Wooden floor


Carpets

Aston Conference

Design by Jean-Marie Massaud, 2007



Armchair with aluminium pedestal swivel base, also available with the seat return mechanism (Art. 1929). The shell support is available with a polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1928	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	2266	2364	2462	2560	2658	2756	2854	2952	3050	3148	3246	3344	3442	4144
$ ART. 1929	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
RETURN MECHANISM	2527	2625	2723	2821	2919	3017	3115	3213	3311	3409	3507	3605	3703	4405
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1928 1 pz = 1 — lb 35,20/ ft³ 17,650 **Art.1929** 1 pz = 1 — lb 35,20/ ft³ 17,650	**Art.1928** COL requirement s.f. 37 COM requirement: 1.89 yards. Width 54",no repeat. **Art.1929** COL requirement s.f. 37 COM requirement: 1.89 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.2

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

All other types of floor

Wooden floor

Carpets

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

Aston Office

Design by Jean-Marie Massaud, 2006



Armchair with aluminium pedestal swivel base (Art. 1925) also available with the seat return mechanism (Art. 1926). The shell support is available with polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1925	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	2364	2471	2578	2685	2792	2899	3006	3113	3220	3327	3434	3541	3648	4389
$ ART. 1926	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
RETURN MECHANISM	2624	2731	2838	2945	3052	3159	3266	3373	3480	3587	3694	3801	3908	4648
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1925 1 pz = 1 - lb 60,50/ ft³ 25,416 **Art.1926** 1 pz = 1 - lb 60,50/ ft³ 25,416	**Art.1925** COL requirement s.f. 41 COM requirement: 2.06 yards. Width 54",no repeat. **Art.1926** COL requirement s.f. 41 COM requirement: 2.06 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

All other types of floor

Wooden floor

Carpets

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

Aston Direction



Design by Jean-Marie Massaud, 2006

Executive armchair with aluminium pedestal swivel base (Art. 1922), also available with the seat return mechanism (Art. 1923). The shell support is available with polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1922	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	2386	2521	2656	2791	2926	3061	3196	3331	3466	3601	3736	3871	4006	4672
$ ART. 1923	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
RETURN MECHANISM	2646	2781	2916	3051	3186	3321	3456	3591	3726	3861	3996	4131	4266	4934
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1922 1 pz = 1 — lb 60,50/ ft³ 29,299 **Art.1923** 1 pz = 1 — lb 60,50/ ft³ 29,299	**Art.1922** COL requirement s.f. 45 COM requirement: 2.29 yards. Width 54",no repeat. **Art.1923** COL requirement s.f. 45 COM requirement: 2.29 yards. Width 54",no repeat.	• EN 1728:2000 -EN 15373:2007 6.10 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1335-3:2009 7.1 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

All other types of floor

Wooden floor

Carpets

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

Aston Conference

Design by Jean-Marie Massaud, 2007



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment mechanism. The shell support is available with polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1930	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	2581	2679	2777	2875	2973	3071	3169	3267	3365	3463	3561	3659	3757	4452
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1930 1 pz = 1 - lb 38,50/ ft³ 25,416	**Art.1930** COL requirement s.f. 37 COM requirement: 1.89 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

arper

Aston Conference Syncro



Design by Jean-Marie Massaud, 2015

Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanism. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer’s material.

$ ART. 1933	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SYNCHRO MECHANISM	2644	2742	2840	2938	3036	3134	3232	3330	3428	3526	3624	3722	3820	4207
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1933 1 pz = 1 — lb 61,60/ ft³ 25,416	**Art.1933** COL requirement s.f. 37 COM requirement: 1.85 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Faux leather Valencia • Classe 1IM Cava 3 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Faux leather Valencia

Frame Base

LU1

Syncro

Aston Office

Design by Jean-Marie Massaud, 2007



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment mechanism. The shell support is available with polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1927	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	2679	2786	2893	3000	3107	3214	3321	3428	3535	3642	3749	3856	3963	4695
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1927 1 pz = 1 — lb 61,05/ ft³ 25,416	**Art.1927** COL requirement s.f. 41 COM requirement: 2.06 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

arper

Aston Office Syncro



Design by Jean-Marie Massaud, 2009

Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanisms. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1918	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SYNCHRO MECHANISM	2737	2850	2963	3076	3189	3302	3415	3528	3641	3754	3867	3980	4093	4891
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1918 1 pz = 1 - lb 61,05/ ft³ 25,416	**Art.1918** COL requirement s.f. 40 COM requirement: 2 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Syncro

Aston Direction

Design by Jean-Marie Massaud, 2007



Executive armchair with aluminium five-star base mounted on selfbraking castors, equipped with gas height adjustment mechanism. The shell support is available with polished or painted finish. The spring providing the tilt movement is available in chromed or red (optional) version. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1924	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	2700	2835	2970	3105	3240	3375	3510	3645	3780	3915	4050	4185	4320	4982
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1924 1 pz = 1 — lb 61,05/ ft³ 29,299	**Art.1924** COL requirement s.f. 45 COM requirement: 2.29 yards. Width 54",no repeat.	• EN 1728:2000 -EN 15373:2007 6.10 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1335-3:2009 7.1

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Standard

On request

Aluminium seat support
Polished LU1: Standard
Powercoated V12 matt or V39 matt: on request

arper

Aston Direction Syncro

Design by Jean-Marie Massaud, 2009



Armchair with aluminium five-star base mounted on self braking castors, equipped with gas height adjustment and synchro mechanisms. The polyurethane shell is upholstered in leather, faux leather, fabric, or customer's material.

$ ART. 1919	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SYNCHRO MECHANISM	2861	2979	3097	3215	3333	3451	3569	3687	3805	3923	4041	4159	4277	5123
Fire retardant foam	+ CALL													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1919 1 pz = 1 - lb 61,05/ ftª 29,299	**Art.1919** COL requirement s.f. 44 COM requirement: 2.24 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.3 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1335-3:2009 7.1 • EN 1335-3:2009 7.2.2 • EN 1335-3:2009 7.2.4 • EN 1335-3:2009 7.3.1 • EN 1335-3:2009 7.3.3 • EN 1335-3:2009 4.1 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.5 • ANSI/BIFMA X5.1-2002/11 • EN 1335-3:2009 7.2.1 • EN 1335-3:2009 7.2.3 • EN 1335-3:2009 7.2.5 • EN 1335-3:2009 7.3.2 • EN 1335-3:2009 7.3.5

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux leather Tonus 4 Faux leather Valencia • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • EN 1021 - 1/2 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3

Frame Base

LU1

Syncro

BABAR

Design by
Simon Pengelly



Babar

Design by Simon Pengelly, 2006



Plastic stool with seat in soft integral polyurethane. A version with cushion upholstered in leather, faux leather, fabric or customer's material is also available. Height-adjustable or with fixed height between 25" - 30 1/8" upon request. Brushed or chromed stainless steel base. Steam available in six different colors.

Accessoires:
Cushion Art. 1763
Cushion Art. 1764

$ ART. 1751	PU													
CHROMED	831													
BRUSHED STAINLESS STEEL	907													
$ ART. 1753	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
CHROMED	825	843	861	879	897	915	933	951	969	987	1005	1023	1041	1051
BRUSHED STAINLESS STEEL	903	921	939	957	975	993	1011	1029	1047	1065	1083	1101	1119	1129

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1751 1 pz = 1 — lb 33,26/ ft³ 6,354 **Art.1753** 1 pz = 1 — lb 33,26/ ft³ 6,354	**Art.1753** COL requirement s.f. 5 COM requirement: 0.6 yards. Width 54",no repeat. Fixed height version available upon request	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1022:05 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/11 • UNI 9084/2002

FIRE RETARDANT TEST

Classe 1IM Faux leather Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO S03

Babar

Design by Simon Pengelly, 2006



Plastic stool with seat in soft integral polyurethane or upholstered in leather, faux leather, fabric or customer's material. Height adjustable or with fixed height between 25" - 30 1/8" upon request. Brushed or chromed stainless steel base fitted with floor anchoring system. Steam available in six different colors.

Accessoires:
Cushion Art. 1763
Cushion Art. 1764

$ ART. 1759	PU													
CHROMED	771													
BRUSHED STAINLESS STEEL	849													
$ ART. 1760	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
CHROMED	764	782	800	818	836	854	872	890	908	926	944	962	980	990
BRUSHED STAINLESS STEEL	842	860	878	896	914	932	950	968	986	1004	1022	1040	1058	1068

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1759 1 pz = 1 — lb 33,26/ ft³ 6,354 **Art.1760** 1 pz = 1 — lb 33,26/ ft³ 6,354	**Art.1760** COL requirement s.f. 5 COM requirement: 0.6 yards. Width 54",no repeat. Fixed height version available upon request	• EN 12727:2000 6.10 • EN 12727:2000 6.12 • EN 12727:2000 6.4 • EN 12727:2000 6.9 • EN 1728:2000 - EN 15373:2007 A - A.5 • EN 12727:2000 6.11 • EN 12727:2000 6.3 • EN 12727:2000 6.8 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.5

FIRE RETARDANT TEST

Classe 1IM Faux leather Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO S03

Babar

Design by Simon Pengelly, 2006



Plastic stool with soft integral polyurethane seat, fitted with backrest. A version with cushion upholstered in leather, faux leather, fabric or customer's material is also available. Height adjustable or with fixed height between 25 3/8" - 30 1/2" upon request. Brushed or chromed stainless steel base. Steam available in six different colors.

Accessoires:
Cushion Art. 1765
Cushion Art. 1766

$ ART. 1755	PU													
CHROMED	890													
BRUSHED STAINLESS STEEL	968													
$ ART. 1757	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
CHROMED	884	902	920	938	956	974	992	1010	1028	1046	1064	1082	1100	1109
BRUSHED STAINLESS STEEL	962	980	998	1016	1034	1052	1070	1088	1106	1124	1142	1160	1178	1187

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1755 1 pz = 1 — lb 33,26/ ft³ 6,354 **Art.1757** 1 pz = 1 — lb 33,26/ ft³ 6,354	**Art.1757** COL requirement s.f. 6 COM requirement: 0.6 yards. Width 54",no repeat. Fixed height version available upon request	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6. 9

FIRE RETARDANT TEST

Classe 1IM Faux leather Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO S03

Babar

Design by Simon Pengelly, 2006



Plastic stool with soft integral polyurethane seat, fitted with backrest. A version with cushion upholstered in leather, faux leather, fabric or customer's material is also available. Height adjustable or with fixed height between 25 3/8" - 30 1/2" upon request. Brushed or chromed stainless steel base fitted with floor anchoring system. Steam available in six different colors.

Accessoires:
Cushion Art. 1765
Cushion Art. 1766

$ ART. 1761	PU													
CHROMED	831													
BRUSHED STAINLESS STEEL	907													
$ ART. 1762	**A**	**B COM**	**C COL**	**D**	**E**	**F**	**G**	**H**	**I**	**J**	**K**	**L**	**M**	**ES**
CHROMED	825	843	861	879	897	915	933	951	969	987	1005	1023	1041	1051
BRUSHED STAINLESS STEEL	903	921	939	957	975	993	1011	1029	1047	1065	1083	1101	1119	1129

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.1761 1 pz = 1 — lb 33,26/ ft³ 6,354 **Art.1762** 1 pz = 1 — lb 33,26/ ft³ 6,354	**Art.1762** COL requirement s.f. 6 COM requirement: 0.6 yards. Width 54",no repeat. Fixed height version available upon request	• EN 12727:2000 6.11 • EN 12727:2000 6.3 • EN 12727:2000 6.5 • EN 1728:2000 - EN 15373:2007 6.4 • EN 12727:2000 6.12 • EN 12727:2000 6.4 • EN 12727:2000 6.8

FIRE RETARDANT TEST

Classe 1IM Faux leather Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia

Frame Base

CRO S03

Babar

Design by Simon Pengelly, 2006

ART. 1763

ART. 1764

ART. 1765

ART. 1766

$ ART. 1763	PU													
Polyurethane seat	195													
$ ART. 1764	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
Upholstered polyurethane seat	230	250	270	290	310	330	350	370	390	410	430	450	470	484
$ ART. 1765	PU													
Polyurethane seat	224													
$ ART. 1766	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
Upholstered polyurethane seat	300	320	340	360	380	400	420	440	460	480	500	520	540	554

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art. 1763 1 pz = 1 — - lb 4,40/ ft³ 1,412 **Art. 1764** 1 pz = 1 — - lb 5,50/ ft³ 1,412 **Art. 1765** 1 pz = 1 — - lb 5,50/ ft³ 1,412 **Art. 1766** 1 pz = 1 — - lb 5,50/ ft³ 1,412	**Art. 1764** COL requirement s.f. 5 COM requirement: 0.6 yards. Width 54",no repeat. **Art. 1766** COL requirement s.f. 6 COM requirement: 0.6 yards. Width 54",no repeat.	
FIRE RETARDANT TEST		

CATIFA 46

Design by
Lievore Altherr Molina





Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg frame, available in chromed or powdercoated steel, or brushed stainless steel versions. The shell is available in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Versions with polypropylene shell and powdercoated or brushed base can be used outdoor. Steel armrests, also with pad, are available upon request.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.
– CT/CU versions: max. 5 pcs. With stacking pad.
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Stacking protection pad with link Art. 0260
Cushion Art. 0261
Stacking protection pad Art. 0262
Basket Art. 0265
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0251	CT	CU	PO bi-color	PO single-color	
CHROMED / POWDERCOATED	816	1352	340	282	
BRUSHED STAINLESS STEEL	990	1526	514	456	
Armrests BV	+ 163				
Armrests BV brushed stainless steel	+ 241				
Armrests CV - pad (only for PO)	+ 48				
Hole on shell to allow water drainage (only for PO	+ 21				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0251 1 pz = 2 — - lb 17,38/ ft³ 8,825 4 pz = 2 — - lb 61,60/ ft³ 11,296 KD	**Art.0251** Outdoor: only for PO+S03, V12, V13, V39, V48, V53, V54, V55, V56, V57	• EN 1728:2000 -EN 15373:2007 6.10 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.16 • ANSI/BIFMA X5.1-2002/16 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6. 5 • EN 1728:2012 - EN 16139:2013 6.18 • UNI 9083/87 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.15 • ANSI/BIFMA X5.1-2002/11 • ANSI/BIFMA X5.1-2002/6 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6.17 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO S03 V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV

Armrests BV brushed stainless steel

Armrests CV - pad (only for PO)

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0253	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	753	803	853	903	953	1003	1053	1103	1153	1203	1253	1303	1353	1497
BRUSHED STAINLESS STEEL	927	977	1027	1077	1127	1177	1227	1277	1327	1377	1427	1477	1527	1671
Armrests BV	+ 163													
Armrests BV brushed stainless steel	+ 241													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0253
1 pz = 2 — lb 20,24/ ft³ 9,531
4 pz = 2 — lb 74,80/ ft³ 12,708

TECHNICAL SPECIFICATIONS

Art.0253
COL requirement s.f. 18
COM requirement: 1.2 yards. Width 54",no repeat.
Line detail stitching.

RESISTANCE TEST

- EN 1728:2000 -EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05
- EN 1728:2012 - EN 16139:2013 6. 5
- EN 1728:2012 - EN 16139:2013 6.18
- UNI 9083/87
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- ANSI/BIFMA X5.1-2002/11
- ANSI/BIFMA X5.1-2002/6
- EN 1728:2012 - EN 16139:2013 6. 4
- EN 1728:2012 - EN 16139:2013 6.17
- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO S03 V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV

Armrests BV brushed stainless steel

Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2013

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0310	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED - Cover 1	744	794	844	894	944	994	1044	1094	1144	1194	1244	1294	1344	1491
CHROMED / POWDERCOATED - Cover 2	764	814	864	914	964	1014	1064	1114	1164	1214	1264	1314	1364	1510
CHROMED / POWDERCOATED - Cover 3	744	794	844	894	944	994	1044	1094	1144	1194	1244	1294	1344	1491
CHROMED / POWDERCOATED - Cover 4	677	727	777	827	877	927	977	1027	1077	1127	1177	1227	1277	1426
STAINLESS STEEL - Cover 1	918	968	1018	1068	1118	1168	1218	1268	1318	1368	1418	1468	1518	1665
STAINLESS STEEL - Cover 2	938	988	1038	1088	1138	1188	1238	1288	1338	1388	1438	1488	1538	1684
STAINLESS STEEL - Cover 3	918	968	1018	1068	1118	1168	1218	1268	1318	1368	1418	1468	1518	1665
STAINLESS STEEL - Cover 4	851	901	951	1001	1051	1101	1151	1201	1251	1301	1351	1401	1451	1600
Armrests BV	+ 163													
Armrests BV brushed stainless steel	+ 241													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0310
1 pz = 2 — - lb 23,32/ ft³ 9,531
4 pz = 2 — - lb 77,97/ ft³ 13,061

TECHNICAL SPECIFICATIONS

Art.0310
COL requirement s.f. 21
COM requirement: 1,18 yards.Width 54",no repeat.
The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.

RESISTANCE TEST

- EN 1728:2000 -EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6. 5
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6. 4
- ANSI/BIFMA X5.1-2002/11
- ANSI/BIFMA X5.1-2002/6
- UNI 9083/87

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

Armrest

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking glide and trolley: up to 10 pcs.
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Cushion Art. 0261
Basket Art. 0265
Stacking protection glide Art. 0286
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0351	WOOD	
CHROMED / POWDERCOATED	811	
BRUSHED STAINLESS STEEL	985	
Armrests BV	+ 163	
Armrests BV brushed stainless steel	+ 241	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0351 1 pz = 2 — lb 16,24/ ft³ 8,472 4 pz = 2 — lb 56,98/ ft³ 11,296 KD		• EN 12727:2000 6.10 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1022:05

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

Shell



Armrest

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with four-leg steel frame, available in the chromed, brushed or powdercoated version. Polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0458	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	733	757	781	805	829	853	877	901	925	949	973	997	1021	1272
BRUSHED STAINLESS STEEL	907	931	955	979	1003	1027	1051	1075	1099	1123	1147	1171	1195	1446
Armrests BV	+ 163													
Armrests BV brushed stainless steel	+ 241													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0458
1 pz = 2 — - lb 23,32/ ft³ 9,531
4 pz = 2 — - lb 77,97/ ft³ 13,061

TECHNICAL SPECIFICATIONS

Art.0458
COL requirement s.f. 9
COM requirement: 0.71 yards. Width 54",no repeat.

RESISTANCE TEST

- EN 1728:2000 -EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6. 5
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05
- UNI 9083/87
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6. 4
- ANSI/BIFMA X5.1-2002/11
- ANSI/BIFMA X5.1-2002/6
- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO S03 V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV

Armrests BV brushed stainless steel

Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2014

Chair with four-leg steel frame, available in chromed steel, stainless steel or lacquered version. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0325	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	1263	1287	1311	1335	1359	1383	1407	1431	1455	1479	1503	1527	1551	1801
BRUSHED STAINLESS STEEL	1437	1461	1485	1509	1533	1557	1581	1605	1629	1653	1677	1701	1725	1975
Armrests BV	+ 163													
Armrests BV brushed stainless steel	+ 241													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0325 1 pz = 2 - lb 23,32/ ft³ 9,531 4 pz = 2 - lb 77,97/ ft³ 13,061 KD	**Art.0325** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

Frame Base

CRO S03 V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Shell

L0020 L0021 L0022

Armrest

Armrests BV | Armrests BV brushed stainless steel | Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
VERSION WITH ARMRESTS STACKABILITY
– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760
Set of glides Art. 2015
Movable link Art. 2073

$ ART. 0450	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED PO two color	607	618	629	640	651	662	673	684	695	706	717	728	739	783
CHROMED / POWDERCOATED PO single color	549	560	571	582	593	604	615	626	637	648	659	670	681	725
BRUSHED STAINLESS STEEL PO two color	781	792	803	814	825	836	847	858	869	880	891	902	913	957
BRUSHED STAINLESS STEEL PO single color	723	734	745	756	767	778	789	800	811	822	833	844	855	899
Armrests BV	+ 163													
Armrests BV brushed stainless steel	+ 241													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0450 1 pz = 2 — lb 23,32/ ft³ 9,531 4 pz = 2 — lb 77,97/ ft³ 13,061	**Art.0450** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 -EN 15373:2007 6.10 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6. 4 • ANSI/BIFMA X5.1-2002/11 • ANSI/BIFMA X5.1-2002/6 • UNI 9083/87 • EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6. 5 • ANSI/BIFMA X5.1-2002/16 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO S03 V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV | Armrests BV brushed stainless steel | Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four-leg solid oak base (natural oak, bleached oak, wengè, teak colour) and single-colour, standard bi-colour (ColorBi®) shell. Alternatively, the shell can be upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Provided with glides suitable for different surfaces.

Accessoires:
Link Art. 0258

$ ART. 0355	CT	CU	PO bi-color	PO single-color	
WOOD LEGS	1086	1622	610	552	
Polypropylene fire retardant (only for PO)	+ 52		(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0355 1 pz = 2 — lb 17,38/ ft³ 8,825 4 pz = 2 — lb 61,60/ ft³ 11,296 KD		• EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

L0020 L0021 L0022 L0023

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four leg solid oak base (natural oak, bleached oak, wengé, teak color) and shell upholstered in leather, faux leather, fabric or customer's own material. Provided with glides suitable for different surfaces.

Accessoires:
Link Art. 0258

$ ART. 0356	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1023	1073	1123	1173	1223	1273	1323	1373	1423	1473	1523	1573	1623	1767

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0356 1 pz = 2 [ ] - lb 20,24/ ft³ 9,531 4 pz = 2 [ ] - lb 74,80/ ft³ 13,061	**Art.0356** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

L0020 L0021 L0022 L0023

Catifa 46



Design by Lievore Altherr Molina, 2013

Chair with four-leg solid oak base (natural oak, bleached oak, wengé, teak colour) and polypropylene shell upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Provided with glides suitable for different surface.

Accessoires:
Link Art. 0258

$ ART. 0311	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS - Cover 1	1014	1064	1114	1164	1214	1264	1314	1364	1414	1464	1514	1564	1614	1761
WOOD LEGS - Cover 2	1034	1084	1134	1184	1234	1284	1334	1384	1434	1484	1534	1584	1634	1780
WOOD LEGS - Cover 3	1014	1064	1114	1164	1214	1264	1314	1364	1414	1464	1514	1564	1614	1761
WOOD LEGS - Cover 4	947	997	1047	1097	1147	1197	1247	1297	1347	1397	1447	1497	1547	1696

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0311 1 pz = 2 — lb 20,24/ ft³ 9,531 4 pz = 2 — lb 74,80/ ft³ 13,061 KD	**Art.0311** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

L0020 L0021 L0022 L0023

Cover 1 Cover 2 Cover 3 Cover 4

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four-leg solid oak base (natural oak, bleached oak, wengé) and double-curved wood shell available in three finishes (natural oak, bleached oak, wengé). Shell and base can be ordered with the same finish or different finishes combined together. Provided with glides suitable for different surfaces.

Accessoires:
Link Art. 0258

$ ART. 0359	WOOD	
WOOD LEGS	1081	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0359 1 pz = 2 — - lb 15,62/ ft³ 8,825 4 pz = 2 — - lb 54,60/ ft³ 11,649		• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.13

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

L0020 L0021 L0022

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with four leg solid oak base (natural oak, bleached oak, wengé, teak color) and polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Provided with glides suitable for various surfaces.

Accessoires:
Link Art. 0258

$ ART. 0358	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1003	1027	1051	1075	1099	1123	1147	1171	1195	1219	1243	1267	1291	1542

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0358 1 pz = 2 — lb 23,32/ ft³ 9,884 4 pz = 2 — lb 77,97/ ft³ 13,061 KD	**Art.0358** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

L0020 L0021 L0022 L0023

Catifa 46



Chair with four-leg solid oak base (natural oak, bleached oak, wengé) and wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Shell and base can be ordered with the same finish or different finishes combined together. Provided with glides suitable for different surfaces.

Accessoires:
Link Art. 0258

$ ART. 0329	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS	1533	1557	1581	1605	1629	1653	1677	1701	1725	1749	1773	1797	1821	2071

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0329 1 pz = 2 [illegible] - lb 23,32/ ft³ 9,884 4 pz = 2 [illegible] - lb 77,97/ ft³ 13,061	**Art.0329** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

L0020 L0021 L0022

Catifa 46



Design by Lievore Altherr Molina, 2012

Chair with four-leg solid oak base (natural oak, bleached oak, wengé, teak color) and Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Provided with glides suitable for various surfaces.

Accessoires:
Link Art. 0258

$ ART. 0308	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
WOOD LEGS PO two color	877	888	899	910	921	932	943	954	965	976	987	998	1009	1053
WOOD LEGS PO single color	819	830	841	852	863	874	885	896	907	918	929	940	951	995

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0308 1 pz = 2 — lb 23,32/ ft³ 9,884 4 pz = 2 — lb 77,97/ ft³ 13,061 KD	**Art.0308** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

L0020 L0021 L0022 L0023

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and shell in single color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Glides for wooden floors available upon request. Steel armrests, also with pad, are available upon request.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.
– CT/CU versions: max. 5 pcs. With stacking pad.
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Cushion Art. 0261
Stacking protection pad Art. 0262
Basket Art. 0265
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0278	CT	CU	PO bi-color	PO single-color	
CHROMED / POWDERCOATED	853	1389	377	319	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0278 1 pz = 2 — lb 22,88/ ft³ 8,472 4 pz = 2 — lb 70,40/ ft³ 10,590	**Art.0278** Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/12 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO V12 matt V39 matt V48 matt V53 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV

Armrests CV - pad (only for PO)

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed or powdercoated steel sled base and shell upholstered in leather, faux leather, fabric or customer's own material. Glides for wooden floors available upon request. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0280	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	790	840	890	940	990	1040	1090	1140	1190	1240	1290	1340	1390	1534
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0280 1 pz = 2 — - lb 25,74/ ft³ 9,531 4 pz = 2 — - lb 83,60/ ft³ 12,708	**Art.0280** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Steelcut 2 Scuba Steelcut Trio 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

Frame Base

Armrest

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed or powdercoated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Glides for wooden floors available upon request. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0312	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED - Cover 1	781	831	881	931	981	1031	1081	1131	1181	1231	1281	1331	1381	1528
CHROMED / POWDERCOATED - Cover 2	801	851	901	951	1001	1051	1101	1151	1201	1251	1301	1351	1401	1547
CHROMED / POWDERCOATED - Cover 3	781	831	881	931	981	1031	1081	1131	1181	1231	1281	1331	1381	1528
CHROMED / POWDERCOATED - Cover 4	714	764	814	864	914	964	1014	1064	1114	1164	1214	1264	1314	1463
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0312
1 pz = 2 - lb 25,74/ ft³ 9,531
4 pz = 2 - lb 83,60/ ft³ 12,708

TECHNICAL SPECIFICATIONS

Art.0312
COM requirement: 1,18 yards.Width 54",no repeat The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO | V12 matt | V13 matt | V39 matt | V48 matt | V53 matt | V54 matt | V55 matt | V56 matt | V57 matt

Armrest

Armrests BV | Armrests CI - only pad

Cover 1 | Cover 2 | Cover 3 | Cover 4 | Standard polycarbonate glide with polyurethane insert. | Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed or powdercoated steel sled base and wood shell available in three colors (natural oak, bleached oak, wengé). Glides for wooden floors available upon request. Steel armrests are available upon request.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking glide and trolley: up to 10 pcs.
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Cushion Art. 0261
Basket Art. 0265
Stacking protection glide Art. 0286
Trolley Art. 0760

$ ART. 0378	WOOD	
CHROMED / POWDERCOATED	848	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0378 1 pz = 2 — lb 21,74/ ft³ 8,472 4 pz = 2 — lb 65,78/ ft³ 11,296 KD	**Art.0378** Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use only	• EN 1728:2012 - EN 16139:2013 6.15 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1022:05 • EN 1728:2012 - EN 16139:2013 6.16 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.25 • EN 1728:2012 - EN 16139:2013 6. 5 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

Shell

Armrest

Armrests BV

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed or powdercoated steel sled base and polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Glides for wooden floors available upon request. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0468	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	770	794	818	842	866	890	914	938	962	986	1010	1034	1058	1309
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0468 1 pz = 2 - lb 28,82/ ft³ 9,531 4 pz = 2 - lb 86,77/ ft³ 13,061	**Art.0468** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat. Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

Armrest

Armrests BV

Armrests CI - only pad

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2014

Chair with chromed or powdercoated steel sled base and wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
Chair with armrest: not stackable.

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0326	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	1300	1324	1348	1372	1396	1420	1444	1468	1492	1516	1540	1564	1588	1838
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0326 1 pz = 2 - lb 28,82/ ft³ 9,531 4 pz = 2 - lb 86,77/ ft³ 13,061 KD	**Art.0326** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat. Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

Frame Base

CRO V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed or powdercoated steel sled base and Polypropylene shell with cushion upholstery in fabric, leather, faux leather or customer's own material applied to the seat surface. Glides for wooden floors available upon request. Steel armrests, also upholstered, are available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Link Art. 0258
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0452	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	644	655	666	677	688	699	710	721	732	743	754	765	776	820
PO single-color	586	597	608	619	630	641	652	663	674	685	696	707	718	762
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0452 1 pz = 2 — - lb 28,82/ ft³ 9,531 4 pz = 2 — - lb 86,77/ ft³ 13,061	**Art.0452** COL Métrage m² 12.77 H 140 cm. COM Métrage ml 6.59	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V13 matt V39 matt V48 matt V53 matt V54 matt V55 matt V56 matt V57 matt

Armrest

Armrests BV

Armrests CI - only pad

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel sled base fitted with armrests. The shell is available in single-color polypropylene,bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Glides for wooden floors available upon request.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 20 pcs.
– CT/CU versions: max. 5 pcs. With stacking pad.
– With writing table: 5 pcs.
– With writing table and trolley: 8 pcs.

Accessoires:
Link Art. 0258
Stacking protection pad with link Art. 0260
Cushion Art. 0261
Stacking protection pad Art. 0262
Writing tablet Art. 0264
Basket Art. 0265
Trolley Art. 0760

$ ART. 0287	CT	CU	PO bi-color	PO single-color	
CHROMED	964	1500	488	430	
Polypropylene fire retardant (only for PO)	+ 52	(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0287 1 pz = 2 — - lb 23,36/ ft³ 10,590 4 pz = 2 — - lb 78,54/ ft³ 13,767 KD	**Art.0287** Stainless steel rod sled base available upon request with a surcharge. Stackability: only without tablet arm.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel sled base and shell upholstered in leather, faux leather, fabric or customer's own material. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
– With writing table: 5 pcs.
– With writing table and trolley: 5 pcs.

Accessoires:
Link Art. 0258
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0289	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	901	951	1001	1051	1101	1151	1201	1251	1301	1351	1401	1451	1501	1645

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0289 1 pz = 2 — - lb 26,22/ ft³ 11,296 4 pz = 2 — - lb 91,74/ ft³ 15,885	**Art.0289** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching Stainless steel rod sled base available upon request with a surcharge. Stackability: only without tablet arm.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed steel sled base and polypropylene shell upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Link Art. 0258
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0313	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED - Cover 1	892	942	992	1042	1092	1142	1192	1242	1292	1342	1392	1442	1492	1639
CHROMED - Cover 2	912	962	1012	1062	1112	1162	1212	1262	1312	1362	1412	1462	1512	1658
CHROMED - Cover 3	892	942	992	1042	1092	1142	1192	1242	1292	1342	1392	1442	1492	1639
CHROMED - Cover 4	825	875	925	975	1025	1075	1125	1175	1225	1275	1325	1375	1425	1574

SHIPMENT DETAILS

Art.0313
1 pz = 2 — lb 26,22/ ft³ 11,296
4 pz = 2 — lb 91,74/ ft³ 15,885

KD

TECHNICAL SPECIFICATIONS

Art.0313
COL requirement s.f. 21
COM requirement: 1,18 yards.Width 54",no repeat.The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. Stainless steel rod sled base available upon request with a surcharge.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.17
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Cover 1

Cover 2

Cover 3

Cover 4

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel sled base fitted with armrests. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Glides for wooden floors available upon request.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking glide and trolley: up to 10 pcs.
– With writing table: 5 pcs.
– With writing table and trolley: 5 pcs.

Accessoires:
Link Art. 0258
Cushion Art. 0261
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection glide Art. 0286
Trolley Art. 0760

$ ART. 0387	WOOD	
CHROMED	959	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0387 1 pz = 2 — - lb 22,22/ ft³ 10,590 4 pz = 2 — - lb 73,92/ ft³ 14,120	**Art.0387** Stainless steel rod sled base available upon request with a surcharge. Stackability: only without tablet arm.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.17 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

CRO

Shell

L0020 L0021 L0022

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
– With writing table: 5 pcs.
– With writing table and trolley: 5 pcs.

Accessoires:
Link Art. 0258
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0470	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	881	905	929	953	977	1001	1025	1049	1073	1097	1121	1145	1169	1420

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0470 1 pz = 2 — - lb 29,30/ ft³ 11,649 4 pz = 2 — - lb 94,86/ ft³ 16,238 KD	**Art.0470** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat. Stainless steel rod sled base available upon request with a surcharge.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2014

Chair with chromed steel sled base, fitted with armrests. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Glides for wooden floors available upon request without surcharge.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad
– With writing table: 5 pcs.
– With writing table and trolley: 5 pcs.

Accessoires:
Link Art. 0258
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0327	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1411	1435	1459	1483	1507	1531	1555	1579	1603	1627	1651	1675	1699	1949

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0327 1 pz = 2 — - lb 29,30/ ft³ 11,649 4 pz = 2 — - lb 94,86/ ft³ 16,238	**Art.0327** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat. Stainless steel rod sled base available upon request with a surcharge. Stackability: only without tablet arm.	

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

Frame Base

CRO

Shell

L0020 L0021 L0022

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2012

Chair with chromed steel sled base, fitted with armrests. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 8 pcs. with stacking pad
– With writing table: 5 pcs.
– With writing table and trolley: 5 pcs.

Accessoires:
Link Art. 0258
Writing tablet Art. 0264
Basket Art. 0265
Stacking protection pad with link Art. 0277
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0454	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	755	766	777	788	799	810	821	832	843	854	865	876	887	931
PO single-color	697	708	719	730	741	752	763	774	785	796	807	818	829	873

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0454 1 pz = 2 — lb 29,30/ ft³ 11,649 4 pz = 2 — lb 94,86/ ft³ 16,238 KD	**Art.0454** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat. Stainless steel rod sled base available upon request with a surcharge. Stackability: only without tablet arm.	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.17 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. The shell is available in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grad CU. Polypropylene and steel armrests, are available upon request.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0368	CT	CU	PO bi-color	PO single-color	
POLISHED / POWDERCOATED	1092	1628	616	558	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0368 1 pz = 2 — lb 22,22/ ft³ 8,825 4 pz = 2 — lb 66,88/ ft³ 12,002		• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

Armrest

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with polished or powdercoated aluminium swivel trestle base. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0375	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1029	1079	1129	1179	1229	1279	1329	1379	1429	1479	1529	1579	1629	1773
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0375 1 pz = 2 — - lb 25,08/ ft³ 9,531 4 pz = 2 — - lb 80,08/ ft³ 13,767 KD	**Art.0375** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line stitching	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2013

Chair with polished or powdercoated aluminium swivel trestle base. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0316	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED - Cover 1	1020	1070	1120	1170	1220	1270	1320	1370	1420	1470	1520	1570	1620	1767
POLISHED / POWDERCOATED - Cover 2	1040	1090	1140	1190	1240	1290	1340	1390	1440	1490	1540	1590	1640	1786
POLISHED / POWDERCOATED - Cover 3	1020	1070	1120	1170	1220	1270	1320	1370	1420	1470	1520	1570	1620	1767
POLISHED / POWDERCOATED - Cover 4	953	1003	1053	1103	1153	1203	1253	1303	1353	1403	1453	1503	1553	1702
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0316 1 pz = 2 - lb 25,08/ ft³ 9,531 4 pz = 2 - lb 80,08/ ft³ 13,767	**Art.0316** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Cover 1 Cover 2 Cover 3 Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with polished or powdercoated aluminium swivel trestle base. The wood shell is available in three colors (natural oak, bleached oak or wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0377	WOOD	
POLISHED / POWDERCOATED	1087	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0377 1 pz = 2 — lb 21,08/ ft³ 8,472 4 pz = 2 — lb 62,26/ ft³ 12,355 KD		• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

LU1 V12 matt V39 matt

Shell



L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium swivel trestle base. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0370	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1009	1033	1057	1081	1105	1129	1153	1177	1201	1225	1249	1273	1297	1548
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0370 1 pz = 2 - lb 28,16/ ft³ 9,531 4 pz = 2 - lb 83,25/ ft³ 14,120	**Art.0370** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2014

Chair with polished or powdercoated aluminium swivel trestle base. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0332	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1539	1563	1587	1611	1635	1659	1683	1707	1731	1755	1779	1803	1827	2077
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0332 1 pz = 2 - lb 28,16/ ft³ 9,531 4 pz = 2 - lb 83,25/ ft³ 14,120 KD	**Art.0332** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

LU1 V12 matt V39 matt

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powdercoated aluminium swivel trestle base. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0279	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	883	894	905	916	927	938	949	960	971	982	993	1004	1015	1059
PO single-color	825	836	847	858	869	880	891	902	913	924	935	946	957	1001
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0279 1 pz = 2 — lb 28,16/ ft³ 9,531 4 pz = 2 — lb 83,25/ ft³ 14,120	**Art.0279** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors. The shell is available in single-color polypropylene, bi color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Polypropylene and steel armrests, are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0369	CT	CU	PO bi-color	PO single-color	
POLISHED / POWDERCOATED	1153	1689	677	619	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0369 1 pz = 2 - lb 22,44/ ft³ 8,825 4 pz = 2 - lb 67,76/ ft³ 12,002 KD		• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV — Armrests CV - pad (only for PO)

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0376	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1090	1140	1190	1240	1290	1340	1390	1440	1490	1540	1590	1640	1690	1834
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0376 1 pz = 2 — - lb 25,30/ ft³ 9,531 4 pz = 2 — - lb 80,96/ ft³ 14,120	**Art.0376** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line stitching	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

$ ART. 0317	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED - Cover 1	1081	1131	1181	1231	1281	1331	1381	1431	1481	1531	1581	1631	1681	1828
POLISHED / POWDERCOATED - Cover 2	1101	1151	1201	1251	1301	1351	1401	1451	1501	1551	1601	1651	1701	1847
POLISHED / POWDERCOATED - Cover 3	1081	1131	1181	1231	1281	1331	1381	1431	1481	1531	1581	1631	1681	1828
POLISHED / POWDERCOATED - Cover 4	1014	1064	1114	1164	1214	1264	1314	1364	1414	1464	1514	1564	1614	1763
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0317 1 pz = 2 - lb 25,30/ ft³ 9,531 4 pz = 2 - lb 80,96/ ft³ 14,120 KD	**Art.0317** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Cover 1 Cover 2 Cover 3 Cover 4

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle base, mounted on self-braking castors. The wood shell is available in three colors (natural oak, bleached oak or wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0386	WOOD	
POLISHED / POWDERCOATED	1148	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0386 1 pz = 2 — - lb 21,30/ ft³ 8,825 4 pz = 2 — - lb 63,14/ ft³ 12,355 KD		• EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

LU1 V12 matt V39 matt

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with polished or powdercoated aluminium fixed trestle, mounted on self-braking castors. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0372	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1070	1094	1118	1142	1166	1190	1214	1238	1262	1286	1310	1334	1358	1609
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0372 1 pz = 2 - lb 28,38/ ft³ 9,884 4 pz = 2 - lb 84,13/ ft³ 14,120 KD	**Art.0372** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with polished or powdercoated aluminium fixed trestle, mounted on self-braking castors. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0333	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
POLISHED / POWDERCOATED	1600	1624	1648	1672	1696	1720	1744	1768	1792	1816	1840	1864	1888	2138
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0333 1 pz = 2 - lb 28,38/ ft³ 9,884 4 pz = 2 - lb 84,13/ ft³ 14,120	**Art.0333** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

Frame Base

LU1 V12 matt V39 matt

Shell

L0020 L0021 L0022

Armrest

Armrests BV Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with polished or powdercoated aluminium fixed trestle, mounted on self-braking castors. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

$ ART. 0290	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	944	955	966	977	988	999	1010	1021	1032	1043	1054	1065	1076	1120
PO single-color	886	897	908	919	930	941	952	963	974	985	996	1007	1018	1062
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0290 1 pz = 2 - lb 28,38/ ft³ 9,884 4 pz = 2 - lb 84,13/ ft³ 14,120 KD	**Art.0290** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1 V12 matt V39 matt

Armrest

Armrests BV Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel swivel trestle base. The shell is available in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Polypropylene and steel armrests, are available upon request.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0257	CT	CU	PO bi-color	PO single-color	
CHROMED	1092	1628	616	558	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0257 1 pz = 2 — lb 23,32/ ft³ 8,825 4 pz = 2 — lb 71,28/ ft³ 12,002		• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Armrest

Armrests BV

Armrests CV - pad (only for PO)

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel swivel trestle base and shell upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0259	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1029	1079	1129	1179	1229	1279	1329	1379	1429	1479	1529	1579	1629	1773
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0259 1 pz = 2 — lb 23,32/ ft³ 8,825 4 pz = 2 — lb 71,28/ ft³ 12,002	**Art.0259** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2013

Chair with chromed steel swivel trestle base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0314	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED - Cover 1	1020	1070	1120	1170	1220	1270	1320	1370	1420	1470	1520	1570	1620	1767
CHROMED - Cover 2	1040	1090	1140	1190	1240	1290	1340	1390	1440	1490	1540	1590	1640	1786
CHROMED - Cover 3	1020	1070	1120	1170	1220	1270	1320	1370	1420	1470	1520	1570	1620	1767
CHROMED - Cover 4	953	1003	1053	1103	1153	1203	1253	1303	1353	1403	1453	1503	1553	1702
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0314 1 pz = 2 [illegible] - lb 23,54/ ft³ 8,825 4 pz = 2 [illegible] - lb 72,60/ ft³ 12,002	**Art.0314** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Cover 1

Cover 2

Cover 3

Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel swivel trestle base and wood shell available in three colors (natural oak, bleached oak, wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0357	WOOD	
CHROMED	1087	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0357 1 pz = 2 — lb 22,18/ ft³ 8,472 4 pz = 2 — lb 66,66/ ft³ 12,355 KD		• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel swivel trestle base. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0460	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1009	1033	1057	1081	1105	1129	1153	1177	1201	1225	1249	1273	1297	1548
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0460 1 pz = 2 — lb 29,26/ ft³ 9,531 4 pz = 2 — lb 87,65/ ft³ 14,120	**Art.0460** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with chromed steel swivel trestle base. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0331	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1539	1563	1587	1611	1635	1659	1683	1707	1731	1755	1779	1803	1827	2077
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0331 1 pz = 2 — - lb 29,26/ ft³ 9,531 4 pz = 2 — - lb 87,65/ ft³ 14,120 KD	**Art.0331** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed steel swivel trestle base. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

Accessoires:
Set of glides Art. 2015

$ ART. 0455	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	883	894	905	916	927	938	949	960	971	982	993	1004	1015	1059
PO single-color	825	836	847	858	869	880	891	902	913	924	935	946	957	1001
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0455 1 pz = 2 - lb 29,26/ ft³ 9,531 4 pz = 2 - lb 87,65/ ft³ 14,120	**Art.0455** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.6 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.5 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel fixed trestle base, mounted on self-braking castors. The shell is available in single color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Polypropylene and steel armrests, are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0273	CT	CU	PO bi-color	PO single-color	
CHROMED	1153	1689	677	619	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0273 1 pz = 2 — lb 23,54/ ft³ 8,825 4 pz = 2 — lb 72,60/ ft³ 12,002 KD		• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Armrest

Armrests BV

Armrests CV - pad (only for PO)

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel fixed trestle base, mounted on self-braking castors. The polypropylene shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0275	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1090	1140	1190	1240	1290	1340	1390	1440	1490	1540	1590	1640	1690	1834
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0275 1 pz = 2 — lb 26,40/ ft³ 9,531 4 pz = 2 — lb 85,80/ ft³ 14,120	**Art.0275** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed steel fixed trestle base, mounted on self-braking castors. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

$ ART. 0315	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED - Cover 1	1081	1131	1181	1231	1281	1331	1381	1431	1481	1531	1581	1631	1681	1828
CHROMED - Cover 2	1101	1151	1201	1251	1301	1351	1401	1451	1501	1551	1601	1651	1701	1847
CHROMED - Cover 3	1081	1131	1181	1231	1281	1331	1381	1431	1481	1531	1581	1631	1681	1828
CHROMED - Cover 4	1014	1064	1114	1164	1214	1264	1314	1364	1414	1464	1514	1564	1614	1763
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0315 1 pz = 2 - lb 26,40/ ft³ 9,531 4 pz = 2 - lb 85,80/ ft³ 14,120 KD	**Art.0315** COL requirement s.f. 21 COM requirement: 1,18 yards.* Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Cover 1

Cover 2

Cover 3

Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel fixed trestle base, mounted on self-braking castors. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0284	WOOD	
CHROMED	1148	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0284 1 pz = 2 — - lb 22,40/ ft³ 8,825 4 pz = 2 — - lb 67,98/ ft³ 12,355 KD		• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel fixed trestle base, mounted on self-braking castors. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0462	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1070	1094	1118	1142	1166	1190	1214	1238	1262	1286	1310	1334	1358	1609
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0462 1 pz = 2 — - lb 29,48/ ft³ 9,884 4 pz = 2 — - lb 88,97/ ft³ 14,120 KD	**Art.0462** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with chromed steel fixed trestle base, mounted on self braking castors. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0330	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED	1600	1624	1648	1672	1696	1720	1744	1768	1792	1816	1840	1864	1888	2138
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0330 1 pz = 2 - lb 29,48/ ft³ 9,884 4 pz = 2 - lb 88,97/ ft³ 14,120	**Art.0330** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed steel fixed trestle base, mounted on self-braking castors. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

$ ART. 0457	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	944	955	966	977	988	999	1010	1021	1032	1043	1054	1065	1076	1120
PO single-color	886	897	908	919	930	941	952	963	974	985	996	1007	1018	1062
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0457 1 pz = 2 - lb 29,48/ ft³ 9,884 4 pz = 2 - lb 88,97/ ft³ 14,120	**Art.0457** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. The shell is available in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Polypropylene and steel armrests, also upholstered, are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0380	CT	CU	PO bi-color	PO single-color	
GAS MECHANISM	1368	1904	892	834	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0380 1 pz = 2 — lb 25,52/ ft³ 10,590 4 pz = 5 — lb 95,92/ ft³ 34,241		• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

LU1

Armrest

Armrests BV

Armrests CV - pad (only for PO)

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0382	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	1305	1355	1405	1455	1505	1555	1605	1655	1705	1755	1805	1855	1905	2049
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0382 1 pz = 2 - lb 28,38/ ft³ 11,649 4 pz = 5 - lb 109,12/ ft³ 35,300 KD	**Art.0382** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line stitching	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

$ ART. 0319	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM - Cover 1	1296	1346	1396	1446	1496	1546	1596	1646	1696	1746	1796	1846	1896	2043
GAS MECHANISM - Cover 2	1316	1366	1416	1466	1516	1566	1616	1666	1716	1766	1816	1866	1916	2062
GAS MECHANISM - Cover 3	1296	1346	1396	1446	1496	1546	1596	1646	1696	1746	1796	1846	1896	2043
GAS MECHANISM - Cover 4	1229	1279	1329	1379	1429	1479	1529	1579	1629	1679	1729	1779	1829	1978
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0319
1 pz = 2 - lb 28,38/ ft³ 11,649
4 pz = 5 - lb 109,12/ ft³ 35,300

TECHNICAL SPECIFICATIONS

Art.0319
COL requirement s.f. 21
COM requirement: 1,18 yards.Width 54",no repeat.
The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1

Armrest

Armrests BV

Armrests CI - only pad

Cover 1

Cover 2

Cover 3

Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0352	WOOD	
GAS MECHANISM	1363	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0352 1 pz = 2 — - lb 24,38/ ft³ 10,590 4 pz = 5 — - lb 91,34/ ft³ 34,594 KD		• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

LU1

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. Polypropylene shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0384	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	1285	1309	1333	1357	1381	1405	1429	1453	1477	1501	1525	1549	1573	1824
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0384 1 pz = 2 - lb 31,46/ ft³ 11,649 4 pz = 5 - lb 112,29/ ft³ 36,359	**Art.0384** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2014



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. Wood shell with front upholstery in leather, faux leather, fabric or customer’s own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0335	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	1815	1839	1863	1887	1911	1935	1959	1983	2007	2031	2055	2079	2103	2353
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0335 1 pz = 2 - lb 31,46/ ft³ 11,649 4 pz = 5 - lb 112,29/ ft³ 36,359 KD	**Art.0335** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

LU1

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with aluminium five-star swivel trestle base, mounted on selfbraking castors and fitted with gas height adjustment mechanism. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.

$ ART. 0302	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM PO Bicolor	1159	1170	1181	1192	1203	1214	1225	1236	1247	1258	1269	1280	1291	1335
GAS MECHANISM PO single-color	1101	1112	1123	1134	1145	1156	1167	1178	1189	1200	1211	1222	1233	1277
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0302 1 pz = 2 - lb 31,46/ ft³ 12,708 4 pz = 5 - lb 112,29/ ft³ 38,830	**Art.0302** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

LU1

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The shell is available in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Polypropylene and steel armrests, are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0294	CT	CU	PO bi-color	PO single-color	
GAS MECHANISM	1617	2153	1141	1083	
Armrests BV	+ 163				
Armrests CV - pad (only for PO)	+ 48				
Polypropylene fire retardant (only for PO)	+ 52				(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0294 1 pz = 2 — lb 32,30/ ft³ 10,590 4 pz = 5 — lb 102,08/ ft³ 29,652 KD		• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2012 - EN 16139:2013 6.17 • EN 1022:05 • TUV GS (EN16139) • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.8 • EN 1728:2012 - EN 16139:2013 6.18 • UNI 9084/2002

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Armrest

Armrests BV

Armrests CV - pad (only for PO)

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0296	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	1554	1604	1654	1704	1754	1804	1854	1904	1954	2004	2054	2104	2154	2298
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0296 1 pz = 2 - lb 29,92/ ft³ 10,237 4 pz = 5 - lb 115,28/ ft³ 31,770	**Art.0296** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • UNI 9084/2002 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2013



Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The polypropylene shell is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.

$ ART. 0318	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM - Cover 1	1545	1595	1645	1695	1745	1795	1845	1895	1945	1995	2045	2095	2145	2292
GAS MECHANISM - Cover 2	1565	1615	1665	1715	1765	1815	1865	1915	1965	2015	2065	2115	2165	2311
GAS MECHANISM - Cover 3	1545	1595	1645	1695	1745	1795	1845	1895	1945	1995	2045	2095	2145	2292
GAS MECHANISM - Cover 4	1478	1528	1578	1628	1678	1728	1778	1828	1878	1928	1978	2028	2078	2227
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS

Art.0318
1 pz = 2 - lb 29,92/ ft³ 10,237
4 pz = 5 - lb 115,28/ ft³ 31,770

TECHNICAL SPECIFICATIONS

Art.0318
COL requirement s.f. 21
COM requirement: 1,18 yards.Width 54",no repeat.
The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- UNI 9084/2002
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Cover 1

Cover 2

Cover 3

Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors fitted with gas height adjustment mechanism. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.

Accessoires:
Cushion Art. 0261

$ ART. 0291	WOOD	
GAS MECHANISM	1612	
Armrests BV	+ 163	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0291 1 pz = 2 - lb 25,92/ ft³ 9,531		• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Catifa 46

Design by Lievore Altherr Molina, 2004



Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0466	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	1534	1558	1582	1606	1630	1654	1678	1702	1726	1750	1774	1798	1822	2073
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0466 1 pz = 2 - lb 33,00/ ft³ 10,590 4 pz = 5 - lb 118,45/ ft³ 31,770 KD	**Art.0466** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • UNI 9084/2002 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1022:05 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2014

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Wood shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.

$ ART. 0334	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM	2064	2088	2112	2136	2160	2184	2208	2232	2256	2280	2304	2328	2352	2602
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0334 1 pz = 2 - lb 33,00/ ft³ 10,590 4 pz = 5 - lb 118,45/ ft³ 31,770	**Art.0334** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54”,no repeat.	
FIRE RETARDANT TEST BS5852 Sch. 4 Part 1 Faux leather Valencia		

Frame Base

CRO

Shell

L0020 L0021 L0022

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46

Design by Lievore Altherr Molina, 2012



Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Polypropylene and steel armrests, also upholstered, are available upon request.

$ ART. 0300	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
GAS MECHANISM PO Bicolor	1408	1419	1430	1441	1452	1463	1474	1485	1496	1507	1518	1529	1540	1584
GAS MECHANISM PO single-color	1350	1361	1372	1383	1394	1405	1416	1427	1438	1449	1460	1471	1482	1526
Armrests BV	+ 163													
Armrests CI - only pad	+ 106													

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0300 1 pz = 2 - lb 33,00/ ft³ 10,590 4 pz = 5 - lb 118,45/ ft³ 31,770	**Art.0300** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728 6.15 • UNI 9084/2002

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Armrest

Armrests BV

Armrests CI - only pad

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and shell upholstered in leather, faux leather, fabric or customer's own material. Seat height 25 5/8" Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0486	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	906	956	1006	1056	1106	1156	1206	1256	1306	1356	1406	1456	1506	1652

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0486 1 pz = 2 - lb 25,96/ ft³ 10,943 4 pz = 2 - lb 88,22/ ft³ 14,473	**Art.0486** COL requirement s.f. 18 COM requirement: 1.08 yards. Width 54",no repeat. Line detail stitching. Frame base finishes: indoor use only	• TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and shell upholstered in leather, faux leather, fabric or customer's own material. Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0483	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	906	956	1006	1056	1106	1156	1206	1256	1306	1356	1406	1456	1506	1652

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0483 1 pz = 2 — lb 26,84/ ft³ 12,002 4 pz = 2 — lb 91,30/ ft³ 15,885 KD	**Art.0483** COL requirement s.f. 18 COM requirement: 1.08 yards. Width 54",no repeat. Line detail stitching. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in hard leather grade CT or hard leather grade CU. Seat height 25 5/8". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 5 pcs.

Accessoires:
Stacking protection pad Art. 0262
Trolley Art. 0760

$ ART. 0484	CT	CU	
CHROMED / POWDERCOATED	971	1507	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0484 1 pz = 2 [illegible] - lb 25,96/ ft³ 10,943 4 pz = 2 [illegible] - lb 88,22/ ft³ 13,414	**Art.0484** Frame base finishes: indoor use only	• TUV GS (EN16139)
FIRE RETARDANT TEST BS5852 Sch. 5 Part 1 CT CU		

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in hard leather grade CT or hard leather grade CU. Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 5 pcs.

Accessoires:
Stacking protection pad Art. 0262
Trolley Art. 0760

$ ART. 0481	CT	CU	
CHROMED / POWDERCOATED	971	1507	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0481 1 pz = 2 — lb 26,84/ ft³ 12,002 4 pz = 2 — lb 91,30/ ft³ 15,885 KD	**Art.0481** Frame base finishes: indoor use only	
FIRE RETARDANT TEST BS5852 Sch. 5 Part 1 CT CU		

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and wood shell available in three colors (natural oak, bleached oak, wengé). Seat height 25 1/4" Glides for wooden floors available upon request.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking glide and trolley: up to 10 pcs.

Accessoires:
Cushion Art. 0261
Stacking protection glide Art. 0286
Trolley Art. 0760

$ ART. 0572	WOOD	
CHROMED / POWDERCOATED	966	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0572 1 pz = 2 — - lb 23,10/ ft³ 10,943 4 pz = 2 — - lb 75,72/ ft³ 14,473	**Art.0572** Frame base finishes: indoor use only	• TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

CRO V12 matt V39 matt

Shell

L0020 L0021 L0022

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and wood shell available in three colors (natural oak, bleached oak, wengé). Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking glide and trolley: up to 10 pcs.

Accessoires:
Cushion Art. 0261
Stacking protection glide Art. 0286
Trolley Art. 0760

$ ART. 0571	WOOD	
CHROMED / POWDERCOATED	966	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0571 1 pz = 2 — - lb 23,98/ ft³ 12,355 4 pz = 2 — - lb 78,80/ ft³ 15,532 KD	**Art.0571** Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.16 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1022:05

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

CRO V12 matt V39 matt

Shell

L0020 L0021 L0022

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and shell in single color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Seat height 25 1/4". Glides for wooden floors available upon request.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 10 pcs.
– CT/CU versions: max. 5 pcs. With stacking pad.

Accessoires:
Cushion Art. 0261
Trolley Art. 0760

$ ART. 0474	CT	CU	PO bi-color	PO single-color	
CHROMED / POWDERCOATED	971	1507	495	437	
Polypropylene fire retardant (only for PO)	+ 52	(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0474 1 pz = 2 — - lb 24,86/ ft³ 11,296 4 pz = 2 — - lb 82,72/ ft³ 14,120	**Art.0474** Frame base finishes: indoor use only	• TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and shell in single-color polypropylene, bi-color polypropylene or upholstered in hard leather grade CT or hard leather grade CU. Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With trolley: up to 10 pcs.
– CT/CU versions: max. 5 pcs. With stacking pad.

Accessoires:
Cushion Art. 0261
Stacking protection pad Art. 0262
Trolley Art. 0760

$ ART. 0471	CT	CU	PO bi-color	PO single-color	
CHROMED / POWDERCOATED	971	1507	495	437	
Polypropylene fire retardant (only for PO)	+ 52	(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0471 1 pz = 2 — - lb 25,74/ ft³ 12,355 4 pz = 2 — - lb 85,80/ ft³ 15,179 KD	**Art.0471** Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/12

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, faux leather, fabric or customer's own material. Seat height 25 1/4". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0476	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	908	958	1008	1058	1108	1158	1208	1258	1308	1358	1408	1458	1508	1652

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0476 1 pz = 2 - lb 27,72/ ft³ 12,002 4 pz = 2 - lb 95,92/ ft³ 18,709	**Art.0476** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Frame base finishes: indoor use only	• TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2013

Stool with chromed or powdercoated steel sled base and white polypropylene shell (PO101) upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Glides for wooden floors available upon request. Seat height 25 1/4".

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0320	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED - Cover 1	899	949	999	1049	1099	1149	1199	1249	1299	1349	1399	1449	1499	1646
CHROMED / POWDERCOATED - Cover 2	919	969	1019	1069	1119	1169	1219	1269	1319	1369	1419	1469	1519	1665
CHROMED / POWDERCOATED - Cover 3	899	949	999	1049	1099	1149	1199	1249	1299	1349	1399	1449	1499	1646
CHROMED / POWDERCOATED - Cover 4	832	882	932	982	1032	1082	1132	1182	1232	1282	1332	1382	1432	1581

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0320 1 pz = 2 - lb 27,72/ ft³ 12,002 4 pz = 2 - lb 95,92/ ft³ 18,709 KD	**Art.0320** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. Frame base finishes: indoor use only	

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Cover 1

Cover 2

Cover 3

Cover 4

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered in leather, faux leather, fabric or customer's own material. Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0473	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	908	958	1008	1058	1108	1158	1208	1258	1308	1358	1408	1458	1508	1652

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0473 1 pz = 2 - lb 28,60/ ft³ 13,061 4 pz = 2 - lb 99,00/ ft³ 17,297	**Art.0473** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching. Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/12

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2013

Stool with chromed or powdercoated steel sled base and polypropylene shell upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Glides for wooden floors available upon request. Seat height 29 7/8".

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0321	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED - Cover 1	899	949	999	1049	1099	1149	1199	1249	1299	1349	1399	1449	1499	1646
CHROMED / POWDERCOATED - Cover 2	919	969	1019	1069	1119	1169	1219	1269	1319	1369	1419	1469	1519	1665
CHROMED / POWDERCOATED - Cover 3	899	949	999	1049	1099	1149	1199	1249	1299	1349	1399	1449	1499	1646
CHROMED / POWDERCOATED - Cover 4	832	882	932	982	1032	1082	1132	1182	1232	1282	1332	1382	1432	1581

SHIPMENT DETAILS

Art.0321
1 pz = 2 — - lb 28,60/ ft³ 13,061
4 pz = 2 — - lb 99,00/ ft³ 17,297

TECHNICAL SPECIFICATIONS

Art.0321
COL requirement s.f. 21
COM requirement: 1,18 yards.Width 54",no repeat.
The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.
Frame base finishes: indoor use only

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.4
- EN 1728:2000 - EN 15373:2007 6.8
- EN 15373:2007 A.5
- EN 1728:2000 - EN 15373:2007 6.13
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.7
- ANSI/BIFMA X5.1-2002/12

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Cover 1

Cover 2

Cover 3

Cover 4

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell with front upholstery on leather, faux leather, fabric or customer's own material . Seat height 64 cm. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0477	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	888	912	936	960	984	1008	1032	1056	1080	1104	1128	1152	1176	1427

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0477 1 pz = 2 — - lb 30,80/ ft³ 12,355 4 pz = 2 — - lb 99,09/ ft³ 16,238	**Art.0477** COL Lederverbrauch m² 9.44 H 140 cm. COM Stoffverbrauch ml 5.17	• TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2012

Stool with chromed or powdercoated steel sled base and Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Seat height 25 1/4". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0304	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	762	773	784	795	806	817	828	839	850	861	872	883	894	938
PO single-color	704	715	726	737	748	759	770	781	792	803	814	825	836	880

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0304 1 pz = 2 — - lb 30,80/ ft³ 12,355 4 pz = 2 — - lb 99,09/ ft³ 16,238 KD	**Art.0304** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat. Frame base finishes: indoor use onl	

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46



Design by Lievore Altherr Molina, 2004

Stool with chromed or powdercoated steel sled base and polypropylene shell front upholstery in leather, faux leather, fabric or customer's own materials. Seat height 76 cm. Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0478	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
CHROMED / POWDERCOATED	888	912	936	960	984	1008	1032	1056	1080	1104	1128	1152	1176	1427

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0478 1 pz = 2 — - lb 31,68/ ft³ 13,414 4 pz = 2 — - lb 102,17/ ft³ 17,650	**Art.0478** COL Lederverbrauch m² 9.44 H 140 cm. COM Stoffverbrauch ml 5.17	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/12

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2012



Stool with chromed or powdercoated steel sled base and Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Seat height 29 7/8". Glides for wooden floors available upon request.

Stackability:
– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
– With stacking protection pad and trolley: up to 8 pcs.
– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

Accessoires:
Stacking protection pad Art. 0499
Trolley Art. 0760

$ ART. 0305	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
PO Bicolor	762	773	784	795	806	817	828	839	850	861	872	883	894	938
PO single-color	704	715	726	737	748	759	770	781	792	803	814	825	836	880

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0305 1 pz = 2 — - lb 31,68/ ft³ 13,414 4 pz = 2 — - lb 102,17/ ft³ 17,650 KD	**Art.0305** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat. Frame base finishes: indoor use only	• EN 1728:2000 - EN 15373:2007 6.12 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 1728:2000 - EN 15373:2007 6.8 • EN 15373:2007 A.5 • EN 1728:2000 - EN 15373:2007 6.13 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • ANSI/BIFMA X5.1-2002/12

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO V12 matt V39 matt

Standard polycarbonate glide with polyurethane insert.

Polycarbonate glide with felt insert available upon request with no surcharge.

Catifa 46

Design by Lievore Altherr Molina, 2004



Low stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, faux leather, fabric or customer's own material. Seat height 25 5/8". Backrest height 35 3/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0496	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1236	1286	1336	1386	1436	1486	1536	1586	1636	1686	1736	1786	1836	1982

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0496 1 pz = 2 - lb 30,27/ ft³ 8,119 4 pz = 5 - lb 116,03/ ft³ 25,416	**Art.0496** COL requirement s.f. 18 COM requirement: 1.08 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2000 - EN 15373:2007 6.4 • TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, upholstered in leather, faux leather, fabric or customer's own material. Seat height 28 3/4". Backrest height 38 5/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0495	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1236	1286	1336	1386	1436	1486	1536	1586	1636	1686	1736	1786	1836	1982

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0495 1 pz = 2 — - lb 30,71/ ft³ 10,237 4 pz = 5 — - lb 117,79/ ft³ 33,888	**Art.0495** COL requirement s.f. 18 COM requirement: 1.08 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2012 - EN 16139:2013 6.21 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6. 8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

Low stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, covered with hard leather grade CT and hard leather grade CU. Seat height 25 5/8”. Backrest height 35 3/8”.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0490	CT	CU	
SWIVEL BASE	1301	1837	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0490 1 pz = 2 [ ] - lb 30,27/ ft³ 8,119 4 pz = 5 [ ] - lb 116,03/ ft³ 24,710		• EN 1728:2000 - EN 15373:2007 6.4 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with low backrest is in polypropylene, covered with hard leather grade CT and hard leather grade CU. Seat height 28 3/4". Backrest height 38 5/8".

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0489	CT	CU	
SWIVEL BASE	1301	1837	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0489 1 pz = 2 — lb 30,71/ ft³ 10,237 4 pz = 5 — lb 117,79/ ft³ 33,182 KD		• EN 1728:2012 - EN 16139:2013 6.21 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6. 8
FIRE RETARDANT TEST BS5852 Sch. 5 Part 1 CT CU		

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

Low stool on swivelling, chromed steel base. The shell with low backrest is in wood in three color finishes (natural oak, bleached oak or wengé). Seat height 25 5/8". Backrest height 35 3/8".

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0492	WOOD	
SWIVEL BASE	1296	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0492 1 pz = 2 — - lb 27,41/ ft³ 8,472 4 pz = 5 — - lb 103,53/ ft³ 25,416		• EN 1728:2000 - EN 15373:2007 6.4 • TUV GS (EN16139)

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Frame Base

CRO

Shell

L0020 L0021 L0022

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with low backrest is in wood in three color finishes (natural oak, bleached oak or wengé). Seat height 28 3/4”. Backrest height 38 5/8”.

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0491	WOOD	
SWIVEL BASE	1296	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0491 1 pz = 2 — lb 27,85/ ft³ 10,590 4 pz = 5 — lb 105,29/ ft³ 33,888 KD		• EN 1728:2012 - EN 16139:2013 6.21 • TUV GS (EN16139) • EN 1728:2012 - EN 16139:2013 6. 8
FIRE RETARDANT TEST BS5852/90 Sez.5 cigarette match LG • Classe 1 LG		

Frame Base

CRO

Shell

L0020 L0021 L0022

Catifa 46



Design by Lievore Altherr Molina, 2004

Low stool on swivelling, chromed steel base. The shell with high backrest is in one color polypropylene, two colors polypropylene, covered in hard leather grade CT and hard leather grade CU. Seat height 25 5/8". Backrest height 39 3/8".

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0488	CT	CU	PO bi-color	PO single-color	
SWIVEL BASE	1301	1837	825	767	
Polypropylene fire retardant (only for PO)	+ 52	(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0488 1 pz = 2 — lb 29,17/ ft³ 8,472 4 pz = 5 — lb 110,53/ ft³ 25,063		• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.2

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with high backrest is in one color polypropylene, two colors polypropylene, covered in hard leather grade CT and hard leather grade CU. Seat height 28 3/4". Backrest height 42 1/2".

Accessoires:
Cushion Art. 0261
Set of glides Art. 2015

$ ART. 0487	CT	CU	PO bi-color	PO single-color	
SWIVEL BASE	1301	1837	825	767	
Polypropylene fire retardant (only for PO)	+ 52	(For finishes: PO00101/109/112/209/212; for other colors qty min. 300 pcs)			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0487 1 pz = 2 — lb 29,61/ ft³ 14,120 4 pz = 5 — lb 112,29/ ft³ 38,124 KD		• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 - 1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, faux leather, fabric or customer's own material.Seat height 25 5/8" Backrest height 39 3/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0494	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1238	1288	1338	1388	1438	1488	1538	1588	1638	1688	1738	1788	1838	1982

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0494 1 pz = 2 - lb 32,03/ ft³ 9,178 4 pz = 5 - lb 123,73/ ft³ 26,828	**Art.0494** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.2

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2013

Low stool on swivelling, chromed steel base. The polypropylene shell is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Seat height 65 cm. Backrest height 39 3/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0322	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE - Cover 1	1229	1279	1329	1379	1429	1479	1529	1579	1629	1679	1729	1779	1829	1976
SWIVEL BASE - Cover 2	1249	1299	1349	1399	1449	1499	1549	1599	1649	1699	1749	1799	1849	1995
SWIVEL BASE - Cover 3	1229	1279	1329	1379	1429	1479	1529	1579	1629	1679	1729	1779	1829	1976
SWIVEL BASE - Cover 4	1162	1212	1262	1312	1362	1412	1462	1512	1562	1612	1662	1712	1762	1911

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0322 1 pz = 2 - lb 32,03/ ft³ 9,178 4 pz = 5 - lb 123,73/ ft³ 26,828 KD	**Art.0322** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.2

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Cover 1 Cover 2 Cover 3 Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene, upholstered in leather, faux leather, fabric or customer's own material. Seat height 28 3/4". Backrest height 42 1/2".

Accessoires:
Set of glides Art. 2015

$ ART. 0493	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1238	1288	1338	1388	1438	1488	1538	1588	1638	1688	1738	1788	1838	1982

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0493 1 pz = 2 - lb 32,47/ ft³ 11,296 4 pz = 5 - lb 125,49/ ft³ 35,300	**Art.0493** COL requirement s.f. 18 COM requirement: 1.2 yards. Width 54",no repeat. Line detail stitching.	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46

Design by Lievore Altherr Molina, 2013



High stool on swivelling, chromed steel base. The polypropylene shell with high backrest is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Seat height 73 cm. Backrest height 47 ½".

Accessoires:
Set of glides Art. 2015

$ ART. 0323	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE - Cover 1	1229	1279	1329	1379	1429	1479	1529	1579	1629	1679	1729	1779	1829	1976
SWIVEL BASE - Cover 2	1249	1299	1349	1399	1449	1499	1549	1599	1649	1699	1749	1799	1849	1995
SWIVEL BASE - Cover 3	1229	1279	1329	1379	1429	1479	1529	1579	1629	1679	1729	1779	1829	1976
SWIVEL BASE - Cover 4	1162	1212	1262	1312	1362	1412	1462	1512	1562	1612	1662	1712	1762	1911

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0323 1 pz = 2 - lb 32,47/ ft³ 11,296 4 pz = 5 - lb 125,49/ ft³ 35,300 KD	**Art.0323** COL requirement s.f. 21 COM requirement: 1,18 yards.Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Cover 1

Cover 2

Cover 3

Cover 4

Catifa 46



Design by Lievore Altherr Molina, 2004

Low stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, faux leather, fabric or customer's own material Seat height 25 5/8". Backrest height 39 3/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0498	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1218	1242	1266	1290	1314	1338	1362	1386	1410	1434	1458	1482	1506	1757

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0498 1 pz = 2 - lb 35,11/ ft³ 9,531 4 pz = 5 - lb 126,90/ ft³ 27,181	**Art.0498** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.2

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2012

Low stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, faux leather or customer's material applied to the seat surface. Seat height 25 5/8". Backrest height 39 3/8".

Accessoires:
Set of glides Art. 2015

$ ART. 0306	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE PO Bicolors	1092	1103	1114	1125	1136	1147	1158	1169	1180	1191	1202	1213	1224	1268
SWIVEL BASE PO single-color	1034	1045	1056	1067	1078	1089	1100	1111	1122	1133	1144	1155	1166	1210

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0306 1 pz = 2 - lb 35,11/ ft³ 9,531 4 pz = 5 - lb 126,90/ ft³ 27,181 KD	**Art.0306** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2000 - EN 15373:2007 6.15 • EN 1728:2000 - EN 15373:2007 6.2.2 • EN 1728:2000 - EN 15373:2007 6.7 • EN 1728:2000 - EN 15373:2007 6.2.1 • EN 1728:2000 - EN 15373:2007 6.4 • EN 15373:2007 A.2

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46



Design by Lievore Altherr Molina, 2004

High stool on swivelling, chromed steel base. Polypropylene shell with high backrest and front upholstery in leather, faux leather, fabric or customer's own material. Seat height 28 3/4". Backrest height 42 1/2".

Accessoires:
Set of glides Art. 2015

$ ART. 0497	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE	1218	1242	1266	1290	1314	1338	1362	1386	1410	1434	1458	1482	1506	1757

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0497 1 pz = 2 - lb 35,55/ ft³ 11,649 4 pz = 5 - lb 128,66/ ft³ 35,653	**Art.0497** COL requirement s.f. 9 COM requirement: 0.71 yards. Width 54",no repeat.	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46

Design by Lievore Altherr Molina, 2012



High stool on swivelling, chromed steel base. The shell with high backrest is in polypropylene with cushion upholstered in fabric, leather, faux leather or customer's material applied to the seat surface. Seat height 28 3/4". Backrest height 42 1/2".

Accessoires:
Set of glides Art. 2015

$ ART. 0307	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SWIVEL BASE PO Bicolors	1092	1103	1114	1125	1136	1147	1158	1169	1180	1191	1202	1213	1224	1268
SWIVEL BASE PO single-color	1034	1045	1056	1067	1078	1089	1100	1111	1122	1133	1144	1155	1166	1210

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0307 1 pz = 2 - lb 35,55/ ft³ 11,649 4 pz = 5 - lb 128,66/ ft³ 35,653 KD	**Art.0307** COL requirement s.f. 5 COM requirement: 0.65 yards. Width 54",no repeat.	• EN 1728:2012 - EN 16139:2013 6.17 • EN 1728:2012 - EN 16139:2013 6.21 • EN 1728:2012 - EN 16139:2013 6. 4 • EN 1728:2012 - EN 16139:2013 6. 8 • EN 1728:2012 - EN 16139:2013 6.18 • EN 1728:2012 - EN 16139:2013 6.24 • EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Frame Base

CRO

Catifa 46

Design by Lievore Altherr Molina, 2013

Leather, faux leather, fabric or customer's own material, non-washable, removable covers are available in the following four versions: cross-shaped stitching (Cover 1), line stitching (Cover 2), star-shaped stitching (Cover 3), or without stitching (Cover 4). Stitching on cover 1 and 3 comes in white or black, to customer's choice.

Cover 1 - Cross-shaped stitching

Cover 2 - Line stitching

Cover 3 - Star-shaped stitching

Cover 4 - Without stitching

$ ART. 0309	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
Cover 1 - Cross-shaped stitching	497	547	597	647	697	747	797	847	897	947	997	1047	1097	1244
Cover 2 - Line stitching	517	567	617	667	717	767	817	867	917	967	1017	1067	1117	1263
Cover 3 - Star-shaped stitching	497	547	597	647	697	747	797	847	897	947	997	1047	1097	1244
Cover 4 - Without stitching	430	480	530	580	630	680	730	780	830	880	930	980	1030	1179

SHIPMENT DETAILS

Art. 0309

1 pz = 1 - lb 11,00/ ft³ 1,059

4 pz = 1 - lb 22,00/ ft³ 1,059

TECHNICAL SPECIFICATIONS

Art. 0309

COL requirement s.f. 21

COM requirement: 1.18 yards. Width 54",no repeat. The cover stitching comes in the same color as the upholstery. Covers to be sold separately from shell. For chairs with stackable base, you will require to order stacking pads, to stack chairs.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05
- EN 1728:2000 - EN 15373:2007 6.13
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux Leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux Leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Catifa 46

Design by Lievore Altherr Molina,

$ ART. 0261	A	B COM	C COL	D	E	F	G	H	I	J	K	L	M	ES
SEAT CUSHION	193	226	259	292	325	358	391	424	457	490	523	556	589	649

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.0261 1 pz = 1 — - lb 2,64/ ft³ 0,706 4 pz = 1 — - lb 6,38/ ft³ 2,471	**Art.0261** COL requirement s.f. 6 COM requirement: 0.67 yards. Width 54",no repeat.	

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Faux leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Sunniva Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Orange 2 Pro 3 Faux leather Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Faux leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Orange 2 Pro 3 Soft leather

Catifa 46

Design by Lievore Altherr Molina

$ ART. 0264 Writing table	**$ ART. 0258** Link (only for chair without armrest pad)*	**$ ART. 2073** Movable link (not available on the chair with armrest)	**$ ART. 0265** Basket	**$ ART. 0760** Trolley of V03
237	76	9	119	239
$ ART. 2015 Set of glides (white or black) in felt	**$ ART. 0286** Stacking protection glide	**$ ART. 0499** Stacking protection pad	**$ ART. 0277** Stacking protection pad for chair with link (only version without armrest pad)	**$ ART. 0262** Stacking protection pad
30	41	59	102	102
$ ART. 0260 Stacking protection pad for chair with link (link is not included)				
115				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art. 0258 1 pz = 1 — lb 1,61/ ft³ 0,353 8 pz = 1 — lb 8,36/ ft³ 0,141 20 pz = 1 — lb 20,24/ ft³ 0,494 **Art. 0260** 1 pz = 1 — lb 2,51/ ft³ 1,412 4 pz = 1 — lb 6,60/ ft³ 1,412 **Art. 0262** 1 pz = 1 — lb 2,24/ ft³ 1,059 4 pz = 1 — lb 5,85/ ft³ 1,412 **Art. 0264** 1 pz = 1 — lb 18,70/ ft³ 8,119 4 pz = 1 — lb 71,50/ ft³ 10,943 **Art. 0265** 1 pz = 2 — lb 2,86/ ft³ 1,412 4 pz = 2 — lb 9,46/ ft³ 1,412 **Art. 0277** 1 pz = 2 — lb 3,85/ ft³ 1,412 4 pz = 2 — lb 12,28/ ft³ 1,412 **Art. 0286** 1 pz = 1 — lb 0,22/ ft³ 0,000 4 pz = 1 — lb 1,50/ ft³ 0,353 **Art. 0499** 1 pz = 1 — lb 2,24/ ft³ 1,412 4 pz = 1 — lb 5,85/ ft³ 1,412 **Art. 2015** 1 pz = 1 — lb 0,18/ ft³ 0,353 **Art. 2073** 1 pz = 1 — lb 3,30/ ft³ 0,353	**Art. 0258** * Link for chair with armrest pad: contact us.	• EN 12727:2000 6.15 • EN 15373:2007 A.4 • EN 14703:2007 7.2 • EN 15373:2007 A.3 • EN 14703:2007 7.3.3

FIRE RETARDANT TEST